

## NT 30/1 AP TE L

Ideal for working with power tools thanks to the integrated device socket with automatic on/off function: wet and dry vacuum cleaner NT 30/1 Ap Te L. Compact middle class vacuum cleaner.



### Order no.

1.148-231.0

- Semi-automatic filter cleaning
- Power outlet with automatic on/off switch
- Connection adapter for power tools

### Technical data

|                            |             |                         |
|----------------------------|-------------|-------------------------|
| EAN code                   |             | 4054278048208           |
| Supply voltage             | Ph / V / Hz | 1 / 220 - 240 / 50 - 60 |
| Air flow                   | l/s         | 74                      |
| Vacuum                     | mbar / kPa  | 273 / 27.3              |
| Container content          | l           | 30                      |
| Container material         |             | Plastic                 |
| Rated input power          | W           | max. 1380               |
| Standard nominal width     |             | ID 35                   |
| Cable length               | m           | 7.5                     |
| Sound pressure level       | dB(A)       | 70                      |
| Colour                     |             | anthracite              |
| Weight without accessories | kg          | 11.8                    |
| Weight incl. packaging     | kg          | 16.8                    |
| Dimensions (L × W × H)     | mm          | 525 × 370 × 560         |

### Equipment

|                                                    |          |                                   |
|----------------------------------------------------|----------|-----------------------------------|
| Suction hose length                                | m        | 2.5                               |
| Bend                                               |          | Plastic                           |
| Quantity of suction tubes                          | Piece(s) | 2                                 |
| Suction tubes length                               | mm       | 550                               |
| Suction tubes material                             |          | Steel, chromed                    |
| Quantity of filter bags                            | Piece(s) | 1                                 |
| Filter bag material                                |          | Fleece                            |
| Wet/dry floor nozzle width                         | mm       | 300                               |
| Crevice nozzle                                     |          | ■                                 |
| Power tool connection adapter                      |          | ■                                 |
| Automatic cut-out features at max. filling quality |          | ■                                 |
| Automatic switch-on/off for electric devices       |          | ■                                 |
| Antistatic preparation                             |          | ■                                 |
| Flat pleated filter                                |          | Paper                             |
| Filter cleaning                                    |          | Semi-automatic filter cleaning Ap |
| Protection class                                   |          | I                                 |
| Stop swivel castor                                 |          | ■                                 |

■ included in the scope of supply.



## Power outlet with automatic on/off switch

- Power tool connects easily to the vacuum cleaner.
- Easy operation thanks to the automatic switch-on/off function.
- Energy-efficient: vacuum cleaner switches off automatically.



## Semi-automatic filter cleaning

- Optimum filter cleaning efficiency at the push of a button.
- Enables consistently high filter performance and suction power.
- Time-saving design and longer filter service life.



## Flexible hose and power cable storage

- Power cable and hose attach securely for transport.
- For suction hoses of various lengths and diameters.
- Time saving and longer service life of the power cable.

## ACCESSORIES FOR NT 30/1 AP TE L

### 1.148-231.0



|                                                                                                                                             |    | Order no.   | Description                                                                                                                                                                                    |   |
|---------------------------------------------------------------------------------------------------------------------------------------------|----|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| <b>FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M</b>                                                                           |    |             |                                                                                                                                                                                                |   |
| <b>Flat pleated filter, paper</b>                                                                                                           |    |             |                                                                                                                                                                                                |   |
| Dry flat pleated filter                                                                                                                     | 1  | 6.904-367.0 | Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.                                     | ■ |
| <b>Flat pleated filter, PES</b>                                                                                                             |    |             |                                                                                                                                                                                                |   |
| Wet & Dry flat pleated filter                                                                                                               | 2  | 6.907-662.0 | Wet & Dry flat pleated filter made from PES fibre material with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.                         | □ |
| <b>Flat pleated filter, PTFE</b>                                                                                                            |    |             |                                                                                                                                                                                                |   |
| Ultimate flat pleated filter                                                                                                                | 3  | 6.907-455.0 | Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.  | □ |
| <b>BENDS</b>                                                                                                                                |    |             |                                                                                                                                                                                                |   |
| <b>Bend, plastic</b>                                                                                                                        |    |             |                                                                                                                                                                                                |   |
| Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end                                                                       | 4  | 2.889-170.0 | Ergonomic DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.                                  | ■ |
| Bend with air-flow regulator, T, DN 35, plastic, antistatic, clip 2.0 at hose end, cone at accessory end                                    | 5  | 2.889-148.0 | Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.     | □ |
| Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end                                              | 6  | 2.889-168.0 | Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. | □ |
| <b>SUCTION NOZZLES</b>                                                                                                                      |    |             |                                                                                                                                                                                                |   |
| <b>Floor nozzles</b>                                                                                                                        |    |             |                                                                                                                                                                                                |   |
| Wet/dry floor nozzle, DN 35, width 300 mm                                                                                                   | 7  | 2.899-691.0 | For wet and dry vacuum cleaners from Kärcher: plastic floor nozzle in nominal size DN 35. Features brush strips and squeegees that are easy to change. Width: 300 mm.                          | ■ |
| Wet/dry floor nozzle, Adv, DN 35, width 360 mm                                                                                              | 8  | 2.889-152.0 | For wet/dry cleaning: plastic Adv floor nozzle with width of 360 mm and nominal size of DN 35. Includes brush strips and squeegees that are easy to change.                                    | □ |
| <b>Crevice nozzles</b>                                                                                                                      |    |             |                                                                                                                                                                                                |   |
| Crevice nozzle, DN 35, plastic, 225 mm                                                                                                      | 9  | 2.889-159.0 | Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.                                                                        | ■ |
| <b>Car cleaning nozzles</b>                                                                                                                 |    |             |                                                                                                                                                                                                |   |
| Ergonomic car nozzle, ID 35, 100 mm                                                                                                         | 10 | 2.889-356.0 | Ergonomic and compact DN 35 car cleaning nozzle made from plastic with a working width of 100 mm for vehicle interior cleaning. Suitable for all wet and dry vacuum cleaners with DN 35 bends. | □ |
| Car nozzle, ID 35, 90 mm                                                                                                                    | 11 | 6.906-108.0 | Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.                                     | □ |
| <b>SUCTION TUBES</b>                                                                                                                        |    |             |                                                                                                                                                                                                |   |
| <b>Suction tubes, metal</b>                                                                                                                 |    |             |                                                                                                                                                                                                |   |
| Suction tube, 2 x, NT, DN 35, 550 mm long, chrome-plated steel, suitable for: NT 27/1, NT 30/1, NT 40/1, NT 50/1, NT 55/1, NT 65/2, NT 75/2 | 12 | 2.889-191.0 | The suction tube set consists of 2 chrome-plated steel suction tubes for Kärcher wet and dry vacuum cleaners, nominal width DN 35 and each suction tube is 550 mm long.                        | ■ |
| <b>SUCTION HOSES</b>                                                                                                                        |    |             |                                                                                                                                                                                                |   |
| <b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>                                         |    |             |                                                                                                                                                                                                |   |
| Suction hose, NT, DN 35, length 2.5 m, clip 2.0, bayonet 2.0                                                                                | 13 | 2.889-134.0 | The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.                                                               | ■ |
| Suction hose, NT, DN 35, length 4 m, clip 2.0, bayonet 2.0                                                                                  | 14 | 2.889-135.0 | The suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.                                                                 | □ |

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR NT 30/1 AP TE L

### 1.148-231.0



|                                                                                                     |    | Order no.   | Description                                                                                                                                                                                                 |                                     |
|-----------------------------------------------------------------------------------------------------|----|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| <b>SUCTION HOSES</b>                                                                                |    |             |                                                                                                                                                                                                             |                                     |
| <b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b> |    |             |                                                                                                                                                                                                             |                                     |
| Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0               | 15 | 2.889-136.0 | The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.                                                                 | <input type="checkbox"/>            |
| Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 2.0, bayonet 2.0                 | 16 | 2.889-137.0 | The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.                                                      | <input type="checkbox"/>            |
| Suction hose, NT, DN 40, length 4 m, clip 2.0, bayonet 2.0                                          | 17 | 2.889-138.0 | The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.                                                                                           | <input type="checkbox"/>            |
| Suction hose, NT, DN 40, length 2.5 m, clip 2.0, bayonet 2.0                                        | 18 | 2.889-139.0 | The suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.                                                                            | <input type="checkbox"/>            |
| Suction hose, NT, DN 40, length 4 m, oil-resistant, clip 2.0, bayonet 2.0                           | 19 | 2.889-140.0 | The oil-resistant suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.                                                                | <input type="checkbox"/>            |
| Suction hose, NT, DN 40, length 4 m, electrically conductive, clip 2.0, bayonet 2.0                 | 20 | 2.889-141.0 | The electrically conductive suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.                                                                   | <input type="checkbox"/>            |
| Repair kit for suction hoses DN 35, Clip 2.0                                                        | 21 | 2.889-149.0 | Repair kit ID 35 for the new clip system.                                                                                                                                                                   | <input type="checkbox"/>            |
| <b>CONNECTING SLEEVES</b>                                                                           |    |             |                                                                                                                                                                                                             |                                     |
| <b>Connection adapter for power tools, clip connection</b>                                          |    |             |                                                                                                                                                                                                             |                                     |
| Tool adapter for power tools, DN 35, clip 2.0                                                       | 22 | 2.889-151.0 | Tool adapter with rubber attachment and false air rotating ring suitable for regulating suction power when working with power tools. Compatible with suction hoses with clip 2.0 connection in DN 35.       | <input checked="" type="checkbox"/> |
| <b>Connection adapter C ID (clip to cone)</b>                                                       |    |             |                                                                                                                                                                                                             |                                     |
| Adapter clip DN 35 on cone DN 35                                                                    | 23 | 5.407-005.0 | Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.                                | <input type="checkbox"/>            |
| <b>Adapter for electric power tools, screwable</b>                                                  |    |             |                                                                                                                                                                                                             |                                     |
| Adapter for electric power tools, screwable, ID 35                                                  | 24 | 5.453-016.0 | 3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.                                                                                    | <input type="checkbox"/>            |
| <b>FILTER BAGS</b>                                                                                  |    |             |                                                                                                                                                                                                             |                                     |
| <b>Fleece filter bags</b>                                                                           |    |             |                                                                                                                                                                                                             |                                     |
| Fleece filter bags, 5 Piece(s), NT 30/1                                                             | 25 | 2.889-154.0 | Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.                                                                              | <input type="checkbox"/>            |
| <b>FILTER T/ NT</b>                                                                                 |    |             |                                                                                                                                                                                                             |                                     |
| <b>Fabric filter</b>                                                                                |    |             |                                                                                                                                                                                                             |                                     |
| Membrane filter, NT 30/1, NT 40/1, NT 50/1                                                          | 26 | 2.889-281.0 | Additional membrane filter made from non-woven fabric for machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused. | <input type="checkbox"/>            |
| <b>OTHER ACCESSORIES NT</b>                                                                         |    |             |                                                                                                                                                                                                             |                                     |
| Drilling dust nozzle                                                                                | 27 | 2.679-000.0 | Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.                                                                                   | <input type="checkbox"/>            |
| Adapter clip new on clip old DN 35                                                                  | 28 | 2.889-312.0 | Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.                                  | <input type="checkbox"/>            |

■ Included in the scope of supply. □ Available accessories.