



TP-Link TL-SF1016D Hallitsematon Fast Ethernet (10/100) Musta

Tuotemerkki : TP-Link

Tuotekoodi: TL-SF1016D V7

Tuotteen nimi : TL-SF1016D

TP-Link TL-SF1016D. Kytin tyyppi: Hallitsematon. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Fast Ethernet (10/100), Basic kytkentä RJ-45 Ethernet-porttien määrä: 16. Täysin kaksipuolinen. MAC-osoitetaulukko: 2000 entries, Kytkentäkapasiteetti: 3,2 Gbit/s. Verkkostandardit: IEEE 802.3u, IEEE 802.3x. DC-syöttöjännite: 9 V. Virtaliitin: DC-tulo jakkiliitin. Seinäkiinnitteinen, Telineasennus



Hallintaominaisuudet		Suorituskyky	
Kytin tyyppi *	Hallitsematon	Laitteistovaatimukset	Microsoft Windows 98SE, NT, 2000, XP, Vista, Windows 7, MAC OS, NetWare, UNIX, Linux
Liitettävyyden ominaisuudet		Virranhallinta	
Basic kytkentä RJ-45 Ethernet-porttien määrä *	16	Voimanlähde *	DC
Peruskytkentä RJ-45 Ethernet-porttien tyyppi *	Fast Ethernet (10/100)	Virtalähde mukana *	✓
Fast Ethernet (kupari) porttien määrä	16	DC-syöttöjännite	9 V
Virtaliitin	DC-tulo jakkiliitin	Syöttöjännite	0.6 A
Verkko		Tehonkulutus (maks.)	3,23 W
Verkkostandardit *	IEEE 802.3u, IEEE 802.3x	Power over Ethernet (PoE)	
10G-tuki *	✗	Power over Ethernet -tuki *	✗
Ethernet kaapelointitekniikka	100BASE-TX, 10BASE-T	Ympäristöolosuhteet	
Täysin kaksipuolinen	✓	Käyttölämpötila (T-T)	0 - 40 °C
Puoliduplexi	✓	Varastointilämpötila	-40 - 70 °C
Virranhallinnan tuki	✓	Käytön suhteellinen kosteus (H-H)	10 - 90%
Auto MDI/MDI-X	✓	Säilytysympäristön kosteus	5 - 90%
Ethernet LAN -datanopeudet	10,100 Mbit/s	Lämmön poisohjaus	11,01 BTU/h
Auto-negotiaatio	✓	Paino ja mitat	
MAC-osoitteen automattisen oppimisen tuki	✓	Tuotteen leveys	200 mm
Datasiirto		Tuotteen syvyys	142 mm
Kytkentäkapasiteetti *	3,2 Gbit/s	Tuotteen korkeus	40 mm
MAC-osoitetaulukko *	2000 entries	Pakkauksen sisältö	
Tallenna ja lähetä edelleen	✓	Käyttöopas	✓
Suunnittelu		Pakkaustiedot	
Telineasennus *	✓	Virtalähde mukana	✓
Pinottava *	✗	Pakkaustyyppi	Laatikko
Tuotteen väri	Musta	Pakkauksen leveys	223 mm
LED-merkkivalot	✓	Pakkauksen syvyys	285 mm
		Pakkauksen korkeus	68 mm
		Pakkauksen paino	674 g

Suunnittelu		Kestävyys	
Seinäkiinnitteinen	✓	Kestävän kehityksen mukainen	✓
Suorituskyky		Sertifikaatit	
Ilman tuuletinta	✓	Vaatimustenmukaisuustodistukset	CE, Yhdysvaltain telehallintovirasto (FCC), RoHS



0845973020293



845973020293



6935364020293

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.