TP-Link Omada ER605W langaton reititin Ethernet Kaksitaajuus (2,4 GHz/5 GHz) Musta





Tuotemerkki : TP-Link **Tuoteperhe:** Omada **Tuotekoodi:** ER605W

Tuotteen nimi : ER605W

TP-Link Omada ER605W. WAN -liitintyyppi: RJ-45. Wi-Fi-taajuus: Kaksitaajuus (2,4 GHz/5 GHz), Wi-Fi-standardi: Wi-Fi 5 (802.11ac), WLAN-tiedonsiirtonopeus (maks.): 1350 Mbit/s. Ethernet LAN -käyttöliittymän tyyppi: Ethernet, Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s, Kaapelitekniikka: 10/100/1000Base-T(X). Tuotetyyppi: Pöytäreititin, Tuotteen väri: Musta, LED-merkkivalot: Teho, WLAN. Sertifiointi: CE, FCC

WAN-yhteys	
Ethernet WAN *	✔
DSL WAN *	✘
SIM-korttipaikka *	✘
3G/4G USB -modeemin yhteensopivuus *	✘
WAN -liitintyyppi	RJ-45
Langattoman lähiverkon ominaisuudet	
Wi-Fi-taajuus *	Kaksitaajuus (2,4 GHz/5 GHz)
Wi-Fi-standardi *	Wi-Fi 5 (802.11ac)
WLAN-tiedonsiirtonopeus (maks.) *	1350 Mbit/s
Wi-Fi-standardit	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
WLAN-tiedonsiirtonopeus (1. kaista)	450 Mbit/s
WLAN-tiedonsiirtonopeus (2. kaista)	867 Mbit/s
Verkko	
Ethernet LAN *	✔
Ethernet LAN -käyttöliittymän tyyppi *	Ethernet
Ethernet LAN -datanopeudet	10,100,1000 Mbit/s
Kaapelitekniikka	10/100/1000Base-T(X)
Verkkostandardit	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
SSID-based VLAN assignment	✔
Vierasverkkojen määrä (2,4 GHz)	1
Vierasverkkojen määrä (5 GHz)	1
Liitettävyys	
Ethernet LAN (RJ-45) -portit *	5
USB-portti *	✘
DC-tulojakki	✔

Suojaus	
Network address translation (NAT)	✔
Protokollat	
DHCP-asiakas	✔
DHCP serveri	✔
Universal Plug and Play (UpNP)	✔
Suunnittelu	
Tuotteen väri	Musta
Seinäkiinnitteinen	✔
LED-merkkivalot	Teho, WLAN
Tuotetyyppi *	Pöytäreititin
Sertifikaatit	
Sertifiointi	CE, FCC
Pakkauksen sisältö	
Virtalähde mukana	✔
Antenni	
Antennin muotoilu *	Ulkoinen
Antennien määrä	4
Irrotettava(t) antenni(t)	✘
Ominaisuudet	
Sisäinen muisti	128 MB
Sisäisen muistin tyyppi	DDR2
Flash-muisti	16 MB
Virranhallinta	
Virtalähteen malli *	DC
Ympäristöolosuhteet	
Käyttölämpötila (T-T)	0 - 40 °C
Varastointilämpötila	-40 - 70 °C
Käytön suhteellinen kosteus (H-H)	10 - 90%

Hallintaominaisuudet	
Verkkosivupohjainen hallinta	✔
Uudelleenkäynnistyspainike	✔

Suojaus	
DMZ-tuki	✔

Ympäristöolosuhteet	
Säilytysympäristön kosteus	5 - 90%

Paino ja mitat	
Tuotteen leveys	226 mm
Tuotteen syvyys	131 mm
Tuotteen korkeus	35 mm

Pakkaustiedot	
Sisältyvien tuotteiden lukumäärä	1 kpl

4895252504750

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 05-NOV-2026. Prints or copies of Information are only valid on the printed Publication date