TP-Link EAP610 V2 WLAN-tukiasema 1201 Mbit/s Valkoinen Power over Ethernet -tuki



Tuotemerkki : TP-Link

Tuotekoodi: EAP610 V2

Tuotteen nimi : EAP610 V2

TP-Link EAP610 V2. 2,4 GHz, 5 GHz, Tiedonsiirron enimmäisnopeus: 1201 Mbit/s. Tietoturva-algoritmit: WPA, WPA2, WPA3. Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s. Power over Ethernet -tuki. Tuotteen väri: Valkoinen



Ominaisuudet	
2,4 GHz *	✔
5 GHz *	✔
Tiedonsiirron enimmäisnopeus *	1201 Mbit/s
Datan enimmäissiirtonopeus (2,4 GHz)	574 Mbit/s
Datan enimmäissiirtonopeus (5 GHz)	1201 Mbit/s
Ethernet LAN -datanopeudet	10,100,1000 Mbit/s
Taajuuskaista	2.4 - 5 GHz
Verkkostandardit	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Automaattinen kanavanvalinta	✔
Automaattinen kanavaskannaus	✔
MIMO	✔
MIMO-tyyppi	Multi User MIMO
Hajaspektritekniikkamenetelmä	OFDMA
Virtuaalisen LAN:n ominaisuudet	SSID-based VLAN assignment
Nopeuden rajoitus	✔
Sopeutuva kaistanleveyden hallinta	✔
Band Steering	✔
Airtime Fairness (ATF)	✔
Lähetysteho (CE)	<20 dBm(2.4 GHz, EIRP); <23 dBm(5 GHz band1/2, EIRP); <25 dBm (5 GHz band3)
Lähetysteho (FCC)	<25 dBm (2.4 GHz); <25 dBm (5 GHz)

Suojaus	
Tietoturva-algoritmit *	WPA, WPA2, WPA3
SSID-tukien lukumäärä	16

Hallintaominaisuudet	
Verkkosivupohjainen hallinta	✔

Liitettävyys	
Ethernet LAN (RJ-45) -portit *	1
DC-tulojakki	✔

Virranhallinta	
Power over Ethernet -tuki *	✔

Suunnittelu	
Sijoitus *	Katto, Seinä
Tuotteen väri *	Valkoinen
Uudelleenkäynnistyspainike	✔
LED-merkkivalot	✔

Antenni	
Antennityyppi *	Sisäinen
Antennin suuntaustyyppi	Ympärisäteilevä
Antennien määrä	4
Antennin vahvistustaso (maks.)	5 dBi

Suorituskyky	
Yhteensopivat käyttöjärjestelmät	Microsoft Windows XP, Vista, Windows 7, Windows 8, Windows10, Windows 11, Linux

Sertifikaatit	
Sertifiointi	CE, FCC

Paino ja mitat	
Tuotteen leveys	160 mm
Tuotteen syvyys	160 mm
Tuotteen korkeus	33,6 mm

Pakkauksen sisältö	
Lukumäärä per pakkaus	1 kpl

Ympäristöolosuhteet	
Käytön suhteellinen kosteus (H-H)	10 - 90%
Käyttölämpötila (T-T)	0 - 40 °C

Hallintaominaisuudet	
Hallintaominaisuudet	Omada

Ympäristöolosuhteet	
Varastointilämpötila	-40 - 70 °C
Säilytysympäristön kosteus	5 - 95%



0840030707773



840030707773



4897098680322



8592978460860



4897098687772

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date