Epson EcoTank ET-5805 Inkjet A4 4800 x 2400 DPI 32 ppm Wi-Fi

Brand : Epson **Product family:** EcoTank **Product code:** C11CJ30405

Product name : ET-5805





4800 x 2400 DPI, 3.8 pl, ADF, 33.6 kbps, A4, USB, LAN, Wi-FI, 425x500x350 mm
Epson EcoTank ET-5805. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 4800 x 2400 DPI, Print speed (colour, normal quality, A4/US Letter): 22 ppm. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Faxing: Colour faxing. Duplex functions: Copy, Print, Scan. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black

Printing	
Duplex printing mode	Auto
Print technology *	Inkjet
Printing *	Colour printing
Duplex printing *	✔
Maximum resolution *	4800 x 2400 DPI
Print speed (black, normal quality, A4/US Letter) *	32 ppm
Print speed (colour, normal quality, A4/US Letter)	22 ppm
Print speed (ISO/IEC 24734) mono	25 ipm
Print speed (ISO/IEC 24734) colour	12 ipm
Print speed (ISO/IEC 24734) black	25 ppm
Print speed (ISO/IEC 24734) colour	12 ppm
Duplex print speed (black, normal quality, A4/US Letter)	16 ppm
Duplex print speed (colour, normal quality, A4/US Letter)	9 ppm
Time to first page (black, normal)	5.5 s
Time to first page (colour, normal)	9.5 s

Copying	
Duplex copying *	✔
Duplex copying mode	Auto
Copying *	Colour copying

Scanning	
Duplex scanning *	✔
Duplex scanning mode	Auto
Scanning *	Colour scanning
Optical scanning resolution *	1200 x 2400 DPI
Scanner type *	Flatbed & ADF scanner
Scan technology	CIS
Scan to	Cloud
Scan speed (colour)	26 ppm
Scan speed (black)	9 ppm
Duplex scan speed (colour)	6 ppm
Duplex scan speed (black)	11 ppm
Image formats supported	BMP, JPEG, TIFF, PNG

Input & output capacity	
Total output capacity *	125 sheets
Paper tray 1 input capacity	250 sheets
Paper tray 2 input capacity	250 sheets
Auto document feeder (ADF)	✔
Auto document feeder (ADF) input capacity	50 sheets

Paper handling	
Maximum ISO A-series paper size *	A4
Paper tray media types *	Envelopes, Plain paper
ISO A-series sizes (A0...A9) *	A4, A5, A6
ISO B-series sizes (B0...B9)	B5, B6
ISO C-series sizes (C0...C9)	C4, C6
Non-ISO print media sizes	Legal, Letter
Envelopes sizes	10, C4, C6, DL
Paper tray media weight	64 - 300 g/m²

Ports & interfaces	
Direct printing *	✔
USB port	✔

Network	
Wi-Fi *	✔
Ethernet LAN *	✔
Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP
Mobile printing technologies	Epson Connect, Epson iPrint, Epson Email Print, Epson Remote Print, Apple AirPrint

Design	
Product colour *	Black
Market positioning *	Home & office
Built-in display *	✔
Display	LCD
Display diagonal	10.9 cm (4.3")
Control type	Touch
Colour display	✔

Publication date: 19-NOV-2026. Prints or copies of Information are only valid on the printed Publication date

Scanning	
Document formats supported	PDF

Fax	
Duplex faxing	✔
Faxing *	Colour faxing
Fax transmission speed	3 sec/page
Modem speed	33.6 Kbit/s
Fax memory	550 pages
Auto-redialing	✔
Speed dialling	✔
Fax forwarding	✔
Error Correction Mode (ECM)	✔

Features	
Duplex functions *	Copy, Print, Scan
Number of print cartridges *	4
Printing colours *	Black, Cyan, Magenta, Yellow

Input & output capacity	
Total number of input trays *	3
Total input capacity *	550 sheets

Power	
Power consumption (copying)	19 W
Power consumption (ready)	8.3 W
Power consumption (sleep)	0.8 W
Power consumption (off)	0.2 W
Energy Star Typical Electricity Consumption (TEC)	0.13 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz

System requirements	
Windows operating systems supported	Windows 10, Windows 10 x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows Vista, Windows Vista x64, Windows XP Professional x64, Windows XP
Mac operating systems supported	Mac OS X 10.6 Snow Leopard
Server operating systems supported	Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2003 R2, Windows Server 2003

Weight & dimensions	
Width	425 mm
Depth	500 mm
Height	350 mm
Weight	17.5 kg

Packaging content	
Cartridge(s) included	✔
Included cartridge capacity (black)	4500 pages
Included cartridge capacity (CMY)	2800 pages
Cables included	AC

8715946734682

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 19-NOV-2026. Prints or copies of Information are only valid on the printed Publication date