R-Go Tools R-Go Split клавиатура Офисная Bluetooth QWERTZ Немецкий Черный



Производитель : R-Go Tools

Код товара: RGOSBDEWLBL

Модель : R-Go Split

R-Go Tools R-Go Split. Формат клавиатуры: Мини. Стиль клавиатуры: Прямо. Технология подключения: Беспроводной, Интерфейс устройства: Bluetooth, Переключатель клавиш клавиатуры: Ножничный переключатель клавиатуры, Раскладка клавиатуры: QWERTZ. Длина кабеля: 1,02 m. Рекомендованное применение: Офисная. Цвет товара: Черный



Клавиатура	
Рекомендованное применение *	Офисная
Технология подключения *	Беспроводной
Интерфейс устройства *	Bluetooth
Переключатель клавиш клавиатуры *	Ножничный переключатель клавиатуры
Раскладка клавиатуры *	QWERTZ
Язык клавиатуры *	Немецкий
Манипулятор *	✗
Формат клавиатуры *	Мини
Цифровая клавиатура *	✗
Профиль клавиш клавиатуры	Низкопрофильный
Горячие клавиши	✓
Мультимедийные клавиши	✓
Полоса частот	2.4 GHz
Версия Bluetooth	5.0
Сплит клавиатура	✓
Страна производства	Китай

Дизайн	
Подсветка *	✗
Стиль клавиатуры	Прямо
Цвет товара *	Черный
Расцветка покрытия	Одноцветный
Материал	Алюминий, Пластик
Светодиодные индикаторы	✓

Свойства	
Дальность действия (беспроводная)	10 m
Длина кабеля	1,02 m
Plug & Play	✓

Энергопитание	
Тип источника питания *	Battery

Батарея	
Емкость батареи	500 mAh

Мышь	
Мышь входит в комплектацию *	✗

Системные требования	
Поддерживаемые операционные системы Windows	✓
Поддерживаемые операционные системы Mac	✓
Поддерживаемые операционные системы Linux	✓

Вес и размеры	
Размеры клавиатуры (ШхГхВ)	141 x 300 x 12 mm
Вес клавиатуры	350 g
Вес	350 g

Данные об упаковке	
Ширина упаковки	320 mm
Глубина упаковки	162 mm
Высота упаковки	26 mm
Масса брутто	550 g

Содержимое упаковки	
Количество продуктов в комплекте *	1 шт
Поставляемый ресивер	✗

Прочие свойства	
Глубина	300 mm
Высота	12 mm
Ширина	141 mm

Логистические данные	
Код гармонизированной системы описания (HS)	84716060

Энергопитание	
Время работы батареи (макс)	140 h
Время подзарядки батареи	2 h

Логистические данные	
Количество в мастер-картоне	20 шт
Ширина мастер-картона	330 mm
Длина мастер-картона	550 mm
Высота мастер-картона	180 mm
Вес мастер-картона	11,5 kg

8719274491866

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 14-NOV-2026. Prints or copies of Information are only valid on the printed Publication date