Roborock Qrevo Edge 2 Pro Белый

Производитель : Roborock

Код товара: 8.01.1867

Модель : Qrevo Edge 2 Pro



Roborock Qrevo Edge 2 Pro. Тип пылесборника: Без мешка, Цвет товара: Белый, Форма: Круглый. Функции базовой станции: Automatic detergent dispensing, Hot water mop washing, Зарядка, Hot air drying, Auto water..., Уровень шума: 63 dB, Obstacle crossing up to: 4 cm. Время работы: 190 min, Напряжение батареи: 14,4 V, Время зарядки: 4 h. Технология батареи: Литий-ионная (Li-Ion), Емкость батареи: 5200 mAh. Высота: 79,8 mm, Ширина: 350 mm, Глубина: 352 mm



Дизайн	
Тип пылесборника *	Без мешка
Цвет товара *	Белый
Форма	Круглый
Dust container type (base)	Мешок для пыли
Поддержка управления со смартфона	✔
Количество колес	3 колесо(а)
Производительность	
влажное протирание *	✔
Автоматический возврат на базу *	✔
Функции базовой станции *	Automatic detergent dispensing, Hot water mop washing, Зарядка, Hot air drying, Auto water refill, Auto dust emptying
Обнаружение препятствий	✔
Obstacle crossing up to	4 cm
Уход за животными	✔
Wi-Fi	✔
Тип щетки	Роликовая щетка и боковая щетка
Уровень шума *	63 dB
Поддерживаемые типы поверхности	Твердый пол, Ковер, Плитки, Паркет, Ламинат
Высота порога (макс.)	4 cm
Встроенные датчики	Камера, Лазерная
Тип навигации	LiDAR, Laser Distance Sensor (LDS), Маппинг
Поддерживаемые мобильные операционные системы	Android, iOS
Работа с Помощником Google	✔

Производительность	
Распознавание краев	✔
Голосовое управление	✔
Энергопитание	
Напряжение батареи	14,4 V
Время работы *	190 min
Время зарядки	4 h
Входящее напряжение сети	220 - 240 V
Частота входящего переменного тока	50/60 Hz
Батарея	
Технология батареи *	Литий-ионная (Li-Ion)
Емкость батареи *	5200 mAh
Вес и размеры	
Высота	79,8 mm
Ширина	350 mm
Глубина	352 mm
Размеры базовой станции (Ш x Г x В)	381 x 475 x 488 mm
Данные об упаковке	
Тип упаковки	Коробочная версия
Содержимое упаковки	
Чистящая салфетка	✔
Инструкция	✔
Базовая станция	✔
Шнур питания в комплекте	✔

Производительность	
Функция работы с Amazon Alexa	✔
Легкая чистка	✔

Технические характеристики	
Поддержка мобильного приложения	✔
Сила всасывания	25000 Pa

6936905905000

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-NOV-2026. Prints or copies of Information are only valid on the printed Publication date