DeepCool CG580 4F V2 Midi Tower White





Brand : DeepCool

Product code: R-CG580-WHADA4-G-2

Product name : CG580 4F V2

DeepCool CG580 4F V2. Form factor: Midi Tower, Type: PC, Product colour: White. Power supply location: Bottom, Supported power supply form factors: ATX, PS2. Side fans installed: 3x 120 mm, Side fans diameters supported: 120,140 mm, Rear fans installed: 1x 120 mm. Supported HDD sizes: 2.5,3.5". Width: 235 mm, Depth: 437 mm, Height: 501 mm

Design	
Material	Acrylonitrile butadiene styrene (ABS), SGCC, Tempered glass
Form factor *	Midi Tower
Type *	PC
Product colour *	White
Supported motherboard form factors *	ATX, ITX, micro ATX
Number of 3.5" bays *	2
Number of 2.5" bays	2
Number of internal 3.5" bays	2
Number of expansion slots	7
Side window	✔
Suitable for	Gaming
Illumination	✔
Illumination colour	Multi
Illumination location	Case fans
Tempered glass panel(s)	✔
Anti-dust filter	✔
Cable management	✔
Reset button	✔
On/off button	✔
LED indicators	✔
Maximum CPU cooler height	17.6 cm
Maximum graphics card length	41 cm
Maximum PSU length	21 cm

Power supply	
Power supply included *	✘

Ports & interfaces	
Combo headphone/mic port	✔

Cooling	
Side fans installed	3x 120 mm
Number of side fans supported (max)	3
Side fans diameters supported	120,140 mm
Rear fans installed	1x 120 mm
Number of rear fans supported (max)	1
Rear fans diameters supported	120,140 mm
Number of top fans supported (max)	3
Top fans diameters supported	120,140 mm
Number of bottom fans supported (max)	2
Bottom fans diameters supported	120 mm
Liquid cooling capability	✔
Side radiator sizes supported	120,140,360 mm
Rear radiator sizes supported	120,140 mm
Top radiator sizes supported	120,140,240,280,360 mm
Pulse-width modulation (PWM) support	✔

Storage	
Supported HDD sizes *	2.5,3.5"

Weight & dimensions	
Width	235 mm
Depth	437 mm
Height	501 mm

Publication date: 19-NOV-2026. Prints or copies of Information are only valid on the printed Publication date

Power supply	
Power supply location	Bottom
Supported power supply form factors	ATX, PS2

Ports & interfaces	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1

Weight & dimensions	
Weight	8.8 kg



6933412765400

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 19-NOV-2026. Prints or copies of Information are only valid on the printed Publication date