TP-Link TG-3468 Intern Ethernet 2000 Mbit/s

Märke : TP-Link

Produktkod: TG-3468 V2

Product name : TG-3468



TP-Link TG-3468. Intern. Anslutningsteknologi: Kabel, Värdgränssnitt: PCI Express, Gränssnitt: Ethernet. Maximal dataöverföringshastighet: 2000 Mbit/s. Produktens färg: Grön, Grå



Anslutningar	
Anslutningsteknologi *	Kabel
Värdgränssnitt *	PCI Express
Gränssnitt *	Ethernet
Antal LAN (RJ-45) anslutningar	1

Nätverk	
Maximal dataöverföringshastighet *	2000 Mbit/s
Kommunikationsstandarder *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x
Nätverksansluten (Ethernet)	✔
Typ av ethernet-gränssnitt	Gigabit Ethernet
Datahastighet för Ethernet-LAN	10,100,1000 Mbit/s
Kabelteknik	10/100/1000BaseT(X)
Wake-on-LAN förberedd	✔
Automatisk MDIX IEEE	✔
Full duplex	✔
Autonegotiation	✔
Stöd för garanterad tjänstekvalitet (QoS)	✔
VLAN-märkning	✔
Maximal räckvidd	100 m

Design	
Komponent för *	PC
Produktens färg	Grön, Grå
Intern *	✔
LED-indikatorer	Status
Certifiering	FCC, BSMI, VCCI

Systemkrav	
Windows-operativsystem som stöds	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64

Miljökrav	
Temperatur vid drift	0 - 40 ° C
Temperaturintervall (förvaring)	-40 - 70 ° C
Intervall för relativ operativ luftfuktighet	10 - 90%
Fuktighet (förvaring)	5 - 90%

Hållbarhet	
Uppfyller hållbarhetskrav	✔

Vikt & dimension	
Bredd	78,5 mm
Djup	120,8 mm
Höjd	21,5 mm

Förpackning	
Förpackningens bredd	160 mm
Låddjup	135 mm
Förpackningens höjd	30 mm
Vikt inkl. förpackning	100 g
Förpackningens innehåll	
Monteringsfästen ingår	✔
CD med drivrutiner	✔
Snabbinstallationsguide	✔
Tekniska detaljer	
Certifikat för överensstämmelse	BSMI, CE, Federal Communications Commission (FCC), RoHS
Logistikdata	
Harmonized System (HS)-kod	85176990
Övrigt	
Flödeskontroll	✔

0840460604796

840460604796

6935364001049

1210002617666

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-NOV-2026. Prints or copies of Information are only valid on the printed Publication date