



NT 70/3

High capacity powerful wet/dry vacuum cleaner with three suction motors for heavy-duty use

1 On-board accessory storage

- Large bumper with accessory storage.

3 Ergonomic push handle

- The NT 70 has an ergonomic push handle for greater manoeuvrability.

2 Integrated drain hose

- The container is easy to empty via the drain hose. Extremely practical due to the very large 70 litre container capacity.

4 Robust bumper

- The robust bumper protects the vacuum cleaner from knocks and bumps.



NT 70/3

- Robust bumper, large wheels
- Ergonomic push handle
- Optional wet filter available

Technical data

Order Number		1.667-270.0
EAN code		4039784725386
Air flow	l/s	3 x 74
Vacuum	mbar / kPa	254 / 25,4
Container capacity	l	70
Max. rated input power	W	3600
Standard nominal size		ID 40
Cable length	m	10
Sound level	dB(A)	79
Container material		Plastic
Quantity of motors		3
Frequency	Hz	50-60
Voltage	V	220-240
Weight	kg	27,6
Dimensions (L x W x H)	mm	720 x 510 x 975

Equipment

Suction hose	m	4
Suction Tube	piece(s) / m	2 x 0,5 / Metal
Wet and dry floor tool	mm	400
Crevice nozzle		■
Cartridge filter		■
Drain hose		■
Bend		■
Cartridge filter		Paper
Sturdy bumper		■
Push handle		■
Safety class		II

■ Included in delivery.

NT 70/3

1.667-270.0

KÄRCHER


		Order Number	Quantity	ID	Length	Width	Price	Description	
Plastic bend									
Elbow packaged NW40 1K	1	2.889-171.0	1 piece(s)	ID 40				Bend for the new clip system in nominal size DN 40.	■
Plastic bend	2	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	□
	3	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	□
	4	5.032-427.0	1 piece(s)	ID 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	□
All-purpose nozzles (wet/dry)									
Floor tool DN40-370	5	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN40	6	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN35	7	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Crevice nozzles									
Crevice nozzle DN35	8	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	□
Crevice nozzle	9	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□
Crevice nozzle DN40	10	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
Suction tubes stainless steel									
Set suction tube stainless steel NW40 55	11	2.889-194.0	1 piece(s)	ID 40	550 mm			Stainless steel suction tube set (2 × 0.55 m)	■
Suction tube, ID 40	12	6.902-081.0	1 piece(s)	ID 40	0,5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	□
Suction tube	13	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	□
Suction tube, DN 35	14	6.902-154.0	1 piece(s)	ID 35	0,5 m			0.5 m long stainless steel suction tube (ID 35) for wet and dry vacuum cleaners. Ideal for frequent wet vacuuming applications and for vacuuming corrosive components.	□
Suction hoses complete (Clip-system)									
Suction hose	15	2.889-138.0	1 piece(s)	ID 40	4 m			4 m suction hose with new bayonet and clip fastener.	■
	16	4.440-784.0	1 piece(s)	ID 40	16 m			16 m suction hose (C-DN 40) with bayonet and straight adapter.	□
Coarse filter for wet pickup									
Foam filter	17	2.889-083.0	1 piece(s)					Not suitable for dry vacuuming.	□
Membrane filter / fabric filter									
Membrane filter/fabric filter	18	6.904-282.0	1 piece(s)					Polyester needle fleece membrane/fabric filter - BIA-C -, washable up to 40°C, metal fibres for earthing. Suitable for virtually all industrial two-motor NT vacuum cleaners.	□

■ Included in delivery. □ Available accessories.

NT 70/3

1.667-270.0

KÄRCHER


		Order Number	Quantity	ID	Length	Width	Price	Description	
Paper filter (2 ply)									
Filter bags 5St. -NT 65/2 ECO	19	6.904-285.0	5 piece(s)					5 3-ply, tear-resistant paper filter bags. BIA-(U, S, G, C) dust class M. For all NT 48/1, NT 65/2 Eco + Me and NT 72/2 Eco Tc models.	☐
Plastic sacks for dust-free disposal									
Plastic sacks for dust-free disposal	20	6.900-698.0	10 piece(s)					PE plastic sack.	☐
Special filter bags, wet filter bags									
Special filter bags, wet filter bags	21	6.904-252.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry, tear-resistant.	☐
Bend stainless									
Bend, stainless steel ID 35	22	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35	☐
Bend, stainless steel ID 40	23	6.902-079.0	1 piece(s)	ID 40				Stainless steel and crooked, ID 40	☐
Bend metal									
Bend, DN 35, metal	24	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).	☐
Bend, DN 40, metal	25	6.900-276.0	1 piece(s)	ID 40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).	☐
Car cleaning nozzles									
Car nozzle	26	6.900-952.0	1 piece(s)	ID 40		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	☐
Gangway nozzles									
Gangway nozzle	27	4.130-432.0	1 piece(s)	ID 40		644 mm		Vacuuming larger Areas in connection with NT 70/1, NT 70/2 or NT 70/3 versions only.	☐
Rubber suction tools, nose 45°									
Rubber suction tools, nose 45°	28	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	☐
	29	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	☐
Pipe dusting nozzles									
BRUSH	30	6.903-035.0	1 piece(s)	ID 35				Plastic, pipe diameter 100 mm	☐
	31	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	☐
Suction brushes									
Suction brush DN35	32	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	☐
Suction brush DN32	33	6.903-887.0	1 piece(s)	ID 32		70 mm		Rotatable suction brush (DN 32 plastic) with PA bristles, 70x45 mm. Only for BV and T vacuum cleaners.	☐
Suction tubes metal									
Suction tube DN35	34	6.900-514.0	1 piece(s)	ID 35	0,5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	☐
Repair kits									
Repair set, C 40	35	2.639-873.0	1 piece(s)	ID 40				Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	☐
Repair kit ID 61	36	2.862-038.0	1 piece(s)	ID 61				Suction hose repair kit. Optional for all NT 65/2 and 72/2, NT 993 I, NT 802 I.	☐

■ Included in delivery. □ Available accessories.

NT 70/3

1.667-270.0

KÄRCHER


		Order Number	Quantity	ID	Length	Width	Price	Description	
Suction hoses (Clip-system)									
Suction hose (clip system), C 40, 10 m	37	6.906-279.0	1 piece(s)	40	10 m			10 m standard suction hose without bend and adapter. With bayonet at vacuum end and C 40 clip connection at accessory end.	☐
Suction hose	38	6.906-321.0	1 piece(s)	40	4 m			4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	☐
	39	6.906-546.0	1 piece(s)	40	4 m			Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	☐
Suction hose (Clip-system), C 40, 16 m	40	6.906-635.0	1 piece(s)	40	16 m			With bayonet and clip connection.	☐
Suction hose (clip system), C 40, 10 m, el.	41	6.906-877.0	1 piece(s)	40	10 m			Suction hose with bayonet coupling, electrically conductive.	☐
Suction hoses complete									
Suction hose, complete	42	4.440-264.0	1 piece(s)	ID 61	4 m			4 m standard suction hose with DN 61 bayonet at vacuum end and DN 61 cone at accessory end.	☐
Suction hose, complete, DN 61, 10 m	43	4.440-467.0	1 piece(s)	ID 61	10 m			10 m standard suction hose with DN 61 bayonet at vacuum end and DN 61 cone at accessory end.	☐
Suction hose complete, ID 61, 4 m, oil-resistant	44	4.440-613.0	1 piece(s)	ID 61	4 m			Oil-resistant.	☐
Suction hose complete, ID 61, 4 m, el.	45	4.440-616.0	1 piece(s)	ID 61	4 m			Electrically conductive.	☐
Suction hose, complete	46	4.440-263.0	1 piece(s)	ID 40	4 m			Electrically non-conductive 4.0m standard suction hose with bayonett at vacuum end and DN 40 cone at accessory end.	☐
Suction hose complete, ID 40, 4 m, oil-resistant,	47	4.440-303.0	1 piece(s)	ID 40	4 m			Oil-resistant.	☐
Suction hose, complete	48	4.440-463.0	1 piece(s)	ID 40	10 m			Electrically non-conductive 10.0m standard suction hose with bayonett at vacuum end and DN 40 cone at accessory end.	☐
Suction hose complete	49	4.440-466.0	1 piece(s)	ID 40	10 m			Electrically conductive, 10.0m, ID 40	☐
Suction hose complete, ID 40, 10 m, oil-resistant	50	4.440-612.0	1 piece(s)	ID 40	10 m			Oil-resistant.	☐
Connecting sleeves									
Adapter, DN 32/35, with internal thread	51	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	☐
Adapter, DN 40 with internal thread	52	6.900-286.0	1 piece(s)	ID 40				Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.	☐
Connecting sleeve, ID 61, with female thread	53	6.902-078.0	1 piece(s)	ID 61				For connecting 2 suction hoses, thread on both sides	☐
Extension hoses (Clip-system)									
Extension hose, C 40	54	6.906-344.0	1 piece(s)	ID 40	2,5 m			2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.	☐
Other									
CS 40 Me	55	2.863-026.0	1 piece(s)					The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	☐
Y-adaptor kit									
Y-adaptor kit	56	2.637-217.0	1 piece(s)	ID 35				Plastic distributor - suitable for NT vacuum cleaners.	☐
Connecting sleeve C-DN (clip on taper), EL (electroconductive)									
C-ID 35 adapter	57	5.407-112.0	1 piece(s)	ID 35				Connects C 35 hose for ID 35, electrically conductive.	☐

■ Included in delivery. □ Available accessories.

NT 70/3

1.667-270.0

KÄRCHER



		Order Number	Quantity	ID	Length	Width	Price	Description	
Adapter (tube -> nozzle)									
Adapter	58	5.453-019.0	1 piece(s)	ID 40				From DN 40 to DN 61: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.	☐
Reducing sleeves									
Reducer	59	5.407-108.0	1 piece(s)	ID 40				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.	☐
Sleeve C40 / C35	60	5.407-113.0	1 piece(s)	ID 40				Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.	☐
Reducer (tube -> nozzle)									
Reducer	61	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	☐
Reducer from ID 35 to 32	62	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	☐
Target group specific vacuum cleaner accessory sets									
Professional cleaning kit ID 40	63	2.637-353.0		ID 40				Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0).	☐
Car cleaning kit	64	2.862-166.0		ID 35				Contains: - Car cleaning nozzle ID 35 - Upholstery/crevice tool ID 35 - Suction brush ID 35 - Connecting sleeve C 35/ ID 35	☐
Chip cleaning kit	65	2.640-760.0		ID 61				Individual parts: suction hose 4 m, oil-proof (4.440-613.0), crevice tool (6.900-222.0), rubber suction nozzle angled at 45° (6.902-106.0).	☐

■ Included in delivery. ☐ Available accessories.