TP-Link Omada EAP725-Wall 4323 Mbit/s White Power over Ethernet (PoE)



Brand : TP-Link **Product family:** Omada **Product code:** EAP725-WALL

Product name : EAP725-Wall

BE3600 Wi-Fi 7 (2882 Mbps on 5 GHz + 688 Mbps on 2.4 GHz), 2× 2.5G Ethernet, 2× Gigabit Ethernet, 802.3at/bt PoE, 143 × 86 × 40 mm

TP-Link Omada EAP725-Wall 4323 Mbit/s White Power over Ethernet (PoE):



BE3600 WiFi 7 Wall Plate Access Point for Ultra-Fast Connectivity

Optimized Wired Performance with 2.5G PoE Ports
With 2.5G PoE input and pass-through ports, along with two Gigabit RJ45 ports, enjoy high-speed data transfers and connect multiple devices to your gigabit network. Wired devices, such as IP Phones, can be powered without the need for additional electrical cables.

Seamless Integration into the Omada SDN
Remotely manage your access points, switches, and routers across multiple sites — all from a single interface.
TP-Link Omada EAP725-Wall. 2.4 GHz, 5 GHz, Maximum data transfer rate: 4323 Mbit/s. Security algorithms: WPA, WPA2, WPA3. Ethernet LAN data rates: 10,100,1000,2500 Mbit/s. Power over Ethernet (PoE). Product colour: White. Power consumption (max): 46.8 W

Features	
2.4 GHz *	✔
5 GHz *	✔
6 GHz *	✘
Maximum data transfer rate *	4323 Mbit/s
Maximum data transfer rate (2.4 GHz)	688 Mbit/s
Maximum data transfer rate (5 GHz)	2882 Mbit/s
Ethernet LAN data rates	10,100,1000,2500 Mbit/s
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11be, IEEE 802.11g, IEEE 802.11n, IEEE 802.3at
Number of users	250 user(s)
VLAN support	✔
Airtime Fairness (ATF)	✔
BeamForming	✔
Security	
Security algorithms *	WPA, WPA2, WPA3
MAC address filtering	✔
Number of SSID supported	16
Remote Authentication Dial-In User Service (RADIUS)	✔
Access Control List (ACL)	✔
Ports & interfaces	
Ethernet LAN (RJ-45) ports *	1
Power	
Power over Ethernet (PoE) *	✔
Power consumption (max)	46.8 W

Design	
Product colour *	White
Reset button	✔
LED indicators	✔
Antenna	
Antenna type *	Internal
Antennas quantity	4
Antenna gain level (max)	5 dBi
Performance	
Compatible operating systems	Microsoft Windows XP, Vista, Windows 7, Windows 8, Windows10, Windows 11, Linux
Certificates	
Certification	FCC/CE/NCC/VCCI/JRF/BSMI/WFA
Weight & dimensions	
Width	167.8 mm
Depth	86 mm
Height	28 mm
Packaging data	
Package type	Box
Packaging content	
Quantity per pack	1 pc(s)
Mounting kit	✔
Operational conditions	
Operating relative humidity (H-H)	10 - 90%
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-30 - 70 °C
Storage relative humidity (H-H)	5 - 90%

Design	
Placement *	Wall

8885020626353

1210002607582

0810142823173

810142823173

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date