TP-Link Omada EAP650 access-punkter för trådlösa nätverk 2402 Mbit/s Vit Strömförsörjning via Ethernet (PoE) stöd



Märke : TP-Link **Produktfamilj:** Omada **Produktkod:** EAP650

Product name : EAP650

TP-Link Omada EAP650. 2,4 GHz, 5 GHz, Maximal dataöverföringshastighet: 2402 Mbit/s. Kryptering/säkerhet: WPA, WPA2, WPA3. Datahastighet för Ethernet-LAN: 10,100,1000 Mbit/s. Strömförsörjning via Ethernet (PoE) stöd. Produktens färg: Vit



Egenskaper	
2,4 GHz *	✔
5 GHz *	✔
6 Ghz *	✘
Maximal dataöverföringshastighet *	2402 Mbit/s
Maximal dataöverföringshastighet (2,4 GHz)	574 Mbit/s
Maximal dataöverföringshastighet (5 GHz)	2402 Mbit/s
Datahastighet för Ethernet-LAN	10,100,1000 Mbit/s
Frekvensband	2.4 - 5 GHz
Kommunikationsstandarder	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.1x, IEEE 802.3at
Kabelteknik	10/100/1000Base-T(X)
Antal användare	250 användare (er)
Automatisk kanalväljare	✔
Automatisk kanalavsökning	✔
MIMO	✔
MIMO-typ	Multi User MIMO
Bredspektrumsmetod	OFDMA
Lägesfunktioner för Fit AP	Maskformigt datanät
VLAN-stöd	✔
Överföringsbegränsning	✔
Flödeskontroll	✔
Bandstyrd	✔
ATF (Airtime Fairness)	✔
Stöd för garanterad tjänstekvalitet (QoS)	✔
Beamforming	✔
Sändningseffekt (CE)	<20 dBm(2.4 GHz, EIRP) <23 dBm(5 GHz, Band1 & Band2, EIRP) <30 dBm(5 GHz, Band3, EIRP)

Management features	
Webbaserad adminstraion	✔
Syslog	✔
Firmware kan uppgraderas	✔
Anslutningar	
Antal LAN (RJ-45) anslutningar *	1
Likströmsingång	✔
Strömtillförsel	
Strömförsörjning via Ethernet (PoE) stöd *	✔
DC-spänningsområde	12 V
Design	
placering *	Tak, Vägg
Produktens färg *	Vit
Återställningsknapp	✔
LED-indikatorer	✔
Antenn	
Antenntyp *	Intern
Certifikat	
Certifiering	CE, FCC
Vikt & dimension	
Bredd	160 mm
Djup	160 mm
Höjd	33,6 mm
Förpackning	
Förpackningstyp	Låda
Förpackningens innehåll	
Antal per förpackning	1 styck
Monteringssats	✔

Egenskaper	
Sändningseffekt (FCC)	<25 dBm (2.4 GHz) <25 dBm (5 GHz)

Bevakning	
Kryptering/säkerhet *	WPA, WPA2, WPA3
MAC-adressfiltrering	✔
Åtkomstkontrollista (ACL)	✔

Förpackningens innehåll	
Snabbstartsguide	✔

Miljökrav	
Intervall för relativ operativ luftfuktighet	10 - 90%
Temperatur vid drift	0 - 40 ° C
Temperaturintervall (förvaring)	-40 - 70 ° C
Fuktighet (förvaring)	5 - 90%

4897098683545

0840030703546

840030703546

4897098682081

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date