

NT 22/1 AP TE L

Perfect for tradespeople: NT 22/1 Ap wet and dry vacuum cleaner with power outlet (with auto-start feature), strong suction power and semi-automatic cleaning system. Compact, lightweight entry-level device.



Order no. 1.378-610.0

- Efficient semi-automatic filter cleaning
- Socket with automatic start-up for electric tools
- Moisture-resistant PES cartridge filter

Technical data

EAN code		4054278287935
Supply voltage	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow	l/s	72
Vacuum	mbar / kPa	249 / 24.9
Container content	l	22
Container material		Plastic
Rated input power	W	max. 1300
Standard nominal width		ID 35
Cable length	m	6
Sound pressure level	dB(A)	72
Colour		anthracite
Weight without accessories	kg	6.1
Weight incl. packaging	kg	9.3
Dimensions (L × W × H)	mm	380 × 370 × 480

Equipment

Suction hose length	m	1.9
Bend		Plastic
Quantity of suction tubes	Piece(s)	2
Suction tubes length	mm	505
Suction tubes material		Steel, chromed
Quantity of filter bags	Piece(s)	1
Filter bag material		Fleece
Wet/dry floor nozzle width	mm	300
Crevice nozzle		■
Cartridge filter		PES
Power tool connection adapter		■
Automatic switch-on/off for electric devices		■
Filter cleaning		Semi-automatic filter cleaning Ap
Protection class		I
Stop swivel castor		■

■ Included in the scope of supply.



Low weight and compact dimensions

- The machine can be easily and conveniently transported and stored.



Semi-automatic filter cleaning

- Semi-automatic filter cleaning effectively ensures constant high suction power.



Moisture-resistant PES cartridge filter

- It is possible to change from wet to dry vacuum cleaning easily without having to dry the PES cartridge filter first.

ACCESSORIES FOR NT 22/1 AP TE L

1.378-610.0



		Order no.	Description	
CARTRIDGE FILTER, STANDARD, UP TO BIA C, DUST CLASS M				
Cartridge filter PES				
Cartridge filter PES, suitable for NT 22/1 Ap, 27/1, 48/1	1	2.889-219.0	Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning. Dust class L-certified.	■
BENDS				
Bend, plastic				
Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end	2	2.889-199.0	DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
Bend with air-flow regulator, T, DN 35, plastic, antistatic, clip 2.0 at hose end, cone at accessory end	3	2.889-148.0	Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end	4	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end	5	2.889-170.0	Ergonomic DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
SUCTION NOZZLES				
Floor nozzles				
Wet/dry floor nozzle, DN 35, width 300 mm, with parking hook	6	2.899-811.0	Plastic wet/dry floor nozzle with parking hook, brush strips and squeegees in DN 35. For wet and dry vacuuming of fine dust, coarse dirt or liquids. Width of 300 mm.	■
Wet/dry floor nozzle, Adv, DN 35, width 360 mm	7	2.889-152.0	For wet/dry cleaning: plastic Adv floor nozzle with width of 360 mm and nominal size of DN 35. Includes brush strips and squeegees that are easy to change.	□
Crevice nozzles				
Crevice nozzle, DN 35, plastic, 225 mm	8	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
Car cleaning nozzles				
Ergonomic car nozzle, ID 35, 100 mm	9	2.889-356.0	Ergonomic and compact DN 35 car cleaning nozzle made from plastic with a working width of 100 mm for vehicle interior cleaning. Suitable for all wet and dry vacuum cleaners with DN 35 bends.	□
Car nozzle, ID 35, 90 mm	10	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	□
Rubber suction tools, nose 45°				
Rubber suction tool, nose 45°	11	6.902-104.0	45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□
SUCTION TUBES				
Suction tubes, metal				
Suction tube, DN 35, 505 mm long, chrome-plated steel, suitable for: T 7/1, T 10/1 T 12/1, NT 22/1, NT 30/1, NT 40/1, NT 50/1, NT 65/2	12	6.902-074.0	Chrome-plated steel suction tube for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners, nominal width DN 35 and 505 mm long.	■
Suction tubes, plastic				
Suction tube, 2 x, HV and NT, DN 35, 505 mm long, plastic, suitable for: HV 1/1 Bp, NT 22/1, NT 27/1, NT 48/1, ProNT 600 L	13	2.889-218.0	The suction tube set consists of 2 suction tubes made of high-quality plastic (DN 35 and 505 mm long each). For the HV 1/1 Bp battery-powered hand vacuum cleaner as well as wet and dry vacuum cleaners from Kärcher.	□
CONNECTING SLEEVES				
Adapter for electric power tools, screwable				
Attachment rubber sleeve	14	5.303-877.0	Rubber tool socket for screwing onto the suction hose.	■

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 22/1 AP TE L 1.378-610.0



		Order no.	Description	
CONNECTING SLEEVES				
Connection adapter C ID (clip to cone)				
Adapter clip DN 35 on cone DN 35	15	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	☐
Connection adapter for power tools, clip connection				
Tool adapter for power tools, DN 35, clip 2.0	16	2.889-151.0	Tool adapter with rubber attachment and false air rotating ring suitable for regulating suction power when working with power tools. Compatible with suction hoses with clip 2.0 connection in DN 35.	☐
FILTER BAGS				
Fleece filter bags				
Fleece filter bags, 5 Piece(s), NT 22/1	17	2.889-217.0	Tear-resistant 3-layer fleece filter bags of dust class L, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.	☐
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Suction hose, NT, DN 35, length 2.5 m, clip 2.0, bayonet 2.0	18	2.889-134.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	☐
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	19	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	☐
Extension hose, T and NT, DN 35, length 2.5 m, clip 2.0, connecting adapter	20	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher.	☐
OTHER ACCESSORIES NT				
Drilling dust nozzle	21	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	☐
Adapter clip new on clip old DN 35	22	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	☐

■ Included in the scope of supply. □ Available accessories.