TP-Link EAP610 V2 access-punkter för trådlösa nätverk 1201 Mbit/s Vit Strömförsörjning via Ethernet (PoE) stöd



Märke : TP-Link

Produktkod: EAP610 V2

Product name : EAP610 V2

TP-Link EAP610 V2. 2,4 GHz, 5 GHz, Maximal dataöverföringshastighet: 1201 Mbit/s. Kryptering/säkerhet: WPA, WPA2, WPA3. Datahastighet för Ethernet-LAN: 10,100,1000 Mbit/s. Strömförsörjning via Ethernet (PoE) stöd. Produktens färg: Vit



Egenskaper	
2,4 GHz *	✔
5 GHz *	✔
Maximal dataöverföringshastighet *	1201 Mbit/s
Maximal dataöverföringshastighet (2,4 GHz)	574 Mbit/s
Maximal dataöverföringshastighet (5 GHz)	1201 Mbit/s
Datahastighet för Ethernet-LAN	10,100,1000 Mbit/s
Frekvensband	2.4 - 5 GHz
Kommunikationsstandarder	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Automatisk kanalväljare	✔
Automatisk kanalavsökning	✔
MIMO	✔
MIMO-typ	Multi User MIMO
Bredspektrumsmetod	OFDMA
VLAN-funktioner	SSID-based VLAN assignment
Överföringsbegränsning	✔
Adaptiv bandbreddshantering	✔
Bandstyrd	✔
ATF (Airtime Fairness)	✔
Sändningseffekt (CE)	<20 dBm(2.4 GHz, EIRP); <23 dBm(5 GHz band1/2, EIRP); <25 dBm (5 GHz band3)
Sändningseffekt (FCC)	<25 dBm (2.4 GHz); <25 dBm (5 GHz)
Bevakning	
Kryptering/säkerhet *	WPA, WPA2, WPA3
Antal SSID som stöds	16
Management features	
Webbaserad adminstraion	✔

Anslutningar	
Antal LAN (RJ-45) anslutningar *	1
Likströmsingång	✔
Strömtillförsel	
Strömförsörjning via Ethernet (PoE) stöd *	✔
Design	
placering *	Tak, Vägg
Produktens färg *	Vit
Återställningsknapp	✔
LED-indikatorer	✔
Antenn	
Antenntyp *	Intern
Antennens riktningstyp	Rundstrålande
Antenner mängd	4
Antenn ökningsnivå (max)	5 dBi
Prestanda	
Kompatibla operativsystem	Microsoft Windows XP, Vista, Windows 7, Windows 8, Windows10, Windows 11, Linux
Certifikat	
Certifiering	CE, FCC
Vikt & dimension	
Bredd	160 mm
Djup	160 mm
Höjd	33,6 mm
Förpackningens innehåll	
Antal per förpackning	1 styck
Miljökrav	
Intervall för relativ operativ luftfuktighet	10 - 90%

Management features	
Management-Plattform	Omada

Miljökrav	
Temperatur vid drift	0 - 40 ° C
Temperaturintervall (förvaring)	-40 - 70 ° C
Fuktighet (förvaring)	5 - 95%



0840030707773



840030707773



4897098680322



8592978460860



4897098687772

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date