PHILIPS

Philips 3000 series NA331/00 обжарочный аппарат Одиночный 6,2 L Автономный 1700 W Аэрофритюрница с горячим воздухом Черный, Серебристый



Производитель : Philips **Семейство продуктов:** 3000 series **Код товара:** NA331/00

Модель : NA331/00

Philips 3000 series NA331/00. Тип продукта: Аэрофритюрница с горячим воздухом, Емкость: 6,2 L, Вместимость резервуара для продуктов: 1 kg. Тип конструкции: Одиночный, Цвет товара: Черный, Серебристый, Тип управления: Сенсорный. Тип дисплея: LED. Мощность: 1700 W, Входящее напряжение сети: 220-240 V, Частота входящего переменного тока: 50 Hz. Ширина: 4360 mm, Глубина: 3240 mm, Высота: 303 mm



Свойства	
Емкость *	6,2 L
Вместимость резервуара для продуктов *	1 kg
Технология приготовления с низким содержанием жира	Rapid Air
Тип продукта *	Аэрофритюрница с горячим воздухом
Количество программ	12
Функция жарки *	✔
Функция выпечки *	✔
Пластины для гриля	✔
Функция обжаривания	✔
Функция поддержки тепла	✔
Регулируемый термостат	✔
Температура (мин)	40 °C
Температура (макс)	200 °C
Термостойкий	✔
Цифровой таймер	✔
Функция обезвоживания	✔

Дизайн	
Тип конструкции *	Одиночный
Размещение бытового устройства	Автономный
Цвет товара *	Черный, Серебристый
Материал	Пластик, Металл
Рукоятка(-и) Cool touch	✔
Рукоятка(-и)	✔
Съемная чаша *	✔
Хранение шнура	✔
Нескользкое основание	✔
Противопригарное покрытие	✔
Легкая чистка	✔

Дизайн	
Тип управления *	Сенсорный
Комплектующие пригодны для мытья в посудомоечной машине *	✔

Индикация	
Встроенный экран *	✔
Тип дисплея	LED
LED индикатор питания	✔
Индикатор нагрева	✔

Энергопитание	
Мощность *	1700 W
Автовыключение	✔
Входящее напряжение сети	220-240 V
Частота входящего переменного тока	50 Hz

Вес и размеры	
Ширина	4360 mm
Глубина	3240 mm
Высота	303 mm
Вес	5,6 kg

Данные об упаковке	
Ширина упаковки	386 mm
Глубина упаковки	388 mm
Высота упаковки	366 mm
Масса брутто	7,2 kg

Содержимое упаковки	
Инструкция	✔
Содержимое упаковки	N/a

Технические характеристики	
Опасные грузы	✘

Дизайн	
Смотровое окно	✔
Длина шнура	1 m
Термоизолированный корпус	✔
Вкл/Выкл переключатель	✔

Технические характеристики	
Материал корпуса	Пластик
Прочие свойства	
Гарантийный срок	2 лет
Страна производства	Китай
Логистические данные	
Количество в упаковке	1 шт

8720389034565

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 15-NOV-2026. Prints or copies of Information are only valid on the printed Publication date