TP-Link M7000 matkapuhelinverkon laite Matkapuhelinverkon reititin



Tuotemerkki : TP-Link

Tuotekoodi: M7000

Tuotteen nimi : M7000

TP-Link M7000. Laitteen tyyppi: Matkapuhelinverkon reititin, Tuotteen väri: Musta, LED-merkkivalot: Teho, WLAN. Verkkostandardit: IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Wi-Fi-standardit: 802.11b, 802.11g, Wi-Fi 4 (802.11n), Tuetut WLAN-tiedonsiirtonopeudet: 300 Mbit/s. Dataverkko: 3G, 4G, LTE, 3G-standardit: HSPA, HSPA+, UMTS, 4G-standardit: LTE-FDD. USB-portin tyyppi: Micro-USB



Suunnittelu	
Laitteen tyyppi *	Matkapuhelinverkon reititin
Tuotteen väri *	Musta
Uudelleenkäynnistyspainike	✔
LED-merkkivalot	Teho, WLAN

Ethernet LAN -ominaisuudet	
Ethernet LAN *	✘
Ethernet LAN -käyttöliittymän tyyppi	Ei saatavilla
Verkkostandardit	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
DHCP-asiakas	✔
DHCP serveri	✔

Langattoman lähiverkon ominaisuudet	
Wi-Fi *	✔
Wi-Fi-standardit	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Tuetut WLAN-tiedonsiirtonopeudet	300 Mbit/s

Mobiili verkostoituminen	
Dataverkko *	3G, 4G, LTE
3G-standardit	HSPA, HSPA+, UMTS
4G-standardit	LTE-FDD
Tukee 3G-yhteyksiä	850,900,2100 MHz
Tuettu 4G-kaista	800,850,900,1800,2100,2300,2500,2600 MHz
Tuetut UMTS-yhteydet	850,900,2100 MHz
SIM-kortin tyyppi	MicroSIM

Liitettävyys	
USB-portin tyyppi	Micro-USB
USB-portti	✔

Suojaus	
Tietoturva-algoritmit	SSID, WPA-PSK, WPA2-PSK

Pakkauksen sisältö	
Sisältää johdot	Micro-USB

Akku	
Akun kapasiteetti	2000 mAh

Suorituskyky	
Verkkosivupohjainen hallinta	✔
Windows-käyttöjärjestelmätuki	Windows 10, Windows 7, Windows 8, Windows Vista, Windows XP
Mac-käyttöjärjestelmätuki	✔
Tuetut käyttöjärjestelmät	Android, Windows Phone, iOS

Virranhallinta	
Virtalähteen malli *	Akku
Ulostulojännite	5 V
Lähtövirta	1 A

Ympäristöolosuhteet	
Käyttölämpötila (T-T)	0 - 35 °C
Varastointilämpötila	-20 - 60 °C
Käytön suhteellinen kosteus (H-H)	10 - 90%
Säilytysympäristön kosteus	5 - 90%

Paino ja mitat	
Tuotteen leveys	94 mm
Tuotteen syvyys	56,6 mm
Tuotteen korkeus	19,7 mm

Pakkaustiedot	
Pakkauksen leveys	135 mm
Pakkauksen syvyys	95 mm
Pakkauksen korkeus	50 mm
Pakkauksen paino	150 g

Logistiikkatiedot	
Harmonoidun järjestelmän nimikkeistökoodi (HS)	85176990

Sertifikaatit	
Sertifiointi	CE, RoHS

6935364086886

6935364086916

4895252501728

1210002621434

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 28-OCT-2026. Prints or copies of Information are only valid on the printed Publication date