DREAME

Dreame L50s Pro Ultra 0,25 L Valkoinen

Tuotemerkki : Dreame

Tuotekoodi: RLL88HE

Tuotteen nimi : L50s Pro Ultra

Dreame L50s Pro Ultra. Pölysäiliön tyyppi: Pussiton, Tuotteen väri: Valkoinen, Muoto: Pyöreä. Pölykapasiteetti (imuri): 0,25 L, Tukiaseman toiminnot: Lataus, Mop washing, Hot water mop washing, Hot air drying, Auto dust emptying, Auto water refill,..., Melutaso: 72 dB. Käyttöaika: 170 min, Latausaika: 3,5 h, Aseman teho: 600 W. Akkuteknologia: Litiumioni (Li-Ion), Akun kapasiteetti: 5200 mAh. Tuotteen korkeus: 103,8 mm, Tuotteen leveys: 350 mm, Tuotteen syvyys: 350 mm





Suunnittelu	
Pölysäiliön tyyppi *	Pussiton
Tuotteen väri *	Valkoinen
Muoto	Pyöreä
Älypuhelimen etätuki	✔

Suorituskyky	
Märkämoppaus *	✔
Pölykapasiteetti (imuri) *	0,25 L
Pölykapasiteetti (tukiasema)	3,2 L
Pölykapasiteetti(yhteensä)	3,45 L
Vesisäiliön tilavuus	0,08 L
Puhdasvesisäiliön kapasiteetti (telakka)	4.5 L
Likavesisäiliön kapasiteetti (telakka)	4 L
Itsetyhjentyvä pölysäiliö	✔
HEPA-suodatusjärjestelmä *	✔
Imurin ilmansuodatus	Vormax, HEPA
Automaattinen tukiasemaan paluu *	✔
Tukiaseman toiminnot *	Lataus, Mop washing, Hot water mop washing, Hot air drying, Auto dust emptying, Auto water refill, Automatic detergent dispensing
Estetunnistus	✔
Esteiden ylitys enintään	4 cm
Wi-Fi	✔
Harjojen lukumäärä	3
Nostettava moppi	✔

Suorituskyky	
Tuetut käyttöjärjestelmät	Android, iOS
Toimii Google Assistantin kanssa	✔
Toimii Amazon Alexalla	✔
Alkuperämaa	Kiina
Ääniohjaus	✔
Pestävä suodatin	✔
Automaattinen mopin kuivaus	✔

Virranhallinta	
Käyttöaika *	170 min
Latausaika	3,5 h
Aseman teho	600 W

Akku	
Akkuteknologia *	Litiumioni (Li-Ion)
Akun kapasiteetti *	5200 mAh

Paino ja mitat	
Tuotteen korkeus	103,8 mm
Tuotteen leveys	350 mm
Tuotteen syvyys	350 mm
Paino	4,1 kg
Telakan mitat (L x S x K)	340 x 457 x 590 mm

Pakkauksen sisältö	
Käyttöopas	✔
Kantayksikkö	✔
Takuukortti	✔

Suorituskyky	
Mop lift height	1,05 cm
Tuetut lattiapinnat	Matto, Kovat lattiapinnat, Laminaatti, Parketti, Laatat, Vinyyli
Integroidut anturit	Laser, Infrapuna-sensori, Kamera
Navigoinnin tyyppi	LiDAR
Melutaso *	72 dB

Tekniset tiedot	
Mobiilisovellustuki	✔
Sisältää mopin	✔
Imu	30 kPa
Viikoittainen aikataulu	✔
Imuteho	30000 Pa

6979181920589

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 28-OCT-2026. Prints or copies of Information are only valid on the printed Publication date