TP-Link Omada OC300 porttikäytävä/ohjain 10, 100, 1000 Mbit/s

Tuotemerkki : TP-Link **Tuoteperhe:** Omada **Tuotekoodi:** OC300

Tuotteen nimi : OC300



TP-Link Omada OC300. Tuotteen väri: Musta, Telineen kapasiteetti: 1U. Suoritinvalmistaja: ARM, Suoritinperhe: ARM Cortex, Sisäinen muisti: 2000 MB. Tuetut protokollat: Routing/NAT/Session Limit/Bandwidth Control VPN (IPSec/L2TP/PPTP/OpenVPN) RADIUS.... Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s, VPN-tuki: VPN (IPSec/L2TP/PPTP/OpenVPN). Tietoturva-algoritmit: SNMP, SSH



Suunnittelu	
Tuotteen väri *	Musta
Telineen kapasiteetti	1U
LED-merkkivalot	✔

Suorituskyky	
Ohjaus- ja näyttöyksikkö *	✘
Sisäänrakennettu prosessori	✔
Suoritinvalmistaja	ARM
Suoritinperhe	ARM Cortex
Asennettujen prosessorien lukumäärä	1
Sisäinen muisti	2000 MB
Sisäisen muistin tyyppi	DDR4
Flash-muisti	2 MB

Protokollat	
Tuetut protokollat	Routing/NAT/Session Limit/Bandwidth Control VPN (IPSec/L2TP/PPTP/OpenVPN) RADIUS (Authentication/MAC Auth/Accounting) 802.1x

Verkko	
Ethernet LAN -datanopeudet	10,100,1000 Mbit/s
VPN-tuki	VPN (IPSec/L2TP/PPTP/OpenVPN)

Suojaus	
Pääsynhallintalista	✔
MAC-osoitteensuodatus	✔
Tietoturva-algoritmit	SNMP, SSH
Network address translation (NAT)	✔

Liitettävyys	
USB 3.2 (3.1 sukupolvi 1) A-tyypin porttien määrä	1
Ethernet LAN (RJ-45) -portit	2

Hallintaominaisuudet	
Verkkosivupohjainen hallinta	✔
Syslog	✔
Liikennestatistiikat	✔

Virranhallinta	
Virrankulutus	9 W
Tehonkulutus (maks.)	14,8 W
Tulojännite	100 - 240 V
Syötteen taajuus	50/60 Hz
Power over Ethernet -tuki	✘

Paino ja mitat	
Tuotteen leveys	294 mm
Tuotteen syvyys	180 mm
Tuotteen korkeus	44 mm

Pakkauksen sisältö	
Sisältää johdot	LAN (RJ-45)
Pika-asennusopas	✔

Ympäristöolosuhteet	
Käyttölämpötila (T-T)	0 - 50 °C
Varastointilämpötila	-40 - 70 °C
Käytön suhteellinen kosteus (H-H)	10 - 90%
Säilytysympäristön kosteus	5 - 90%

Sertifikaatit	
Sertifiointi	CE, FCC



6935364089863



6935364053208



0845973089863




845973089863



1210002611275



1210002611268



0840460604666



840460604666

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date