

MPN: USB3.2CC05EX

Premium USB-C cable Extender 0.5m

20Gbps, 240W, USB 3.2 Gen 2x2

Premium is a series of high-quality products within the MicroConnect brand, designed with premium materials, reliable performance, and a sharp modern design for professional connectivity solutions.

See the full Premium Assortment at the following link: <https://www.eetgroup.com/inspiration/microconnect-premium>



With this Premium MicroConnect USB-C extension cable you can now go all-in with a fully specced Gen2 USB-C cable, capable of 20Gbps data transfers, 240W of Power Delivery, 20V/5A of Fast-Charging performance, and even 3840x2160p Ultra HD 4K video output at 60Hz! It's amazing and it's all here in this cable. Just keep in mind that not all USB-C devices, are capable of all USB Type-C features... but at least it won't be this cable holding you back.

This USB 3.2 Cable (Type-C Male to Male) connects between two USB Type-C devices for the fastest possible data transfer and charging rates available. Precision data transfers and power delivery mean this cable supports PD240W for 240W of Power Delivery charging - perfect for charging hungry USB devices. The Soft TPE Jacket also ensures a premium touch and feel to the cable while keeping the cable nice and durable.

With this cable you can enjoy 20Gbps data transfers and an unprecedented 240W for power delivery.

- 240W
- 20Gbps
- 4K60Hz

Specifications

Features

| | |
|-----------------------------------|-------------------------------|
| Cable jacket material | Thermoplastic elastomer (TPE) |
| Cable length | 0.5 m |
| Connector 1 | USB C |
| Connector 1 form factor | Straight |
| Connector 1 gender | Female |
| Connector 2 | USB C |
| Connector 2 form factor | Straight |
| Connector 2 gender | Male |
| Maximum data transfer rate | 20 Gbit/s |
| Product colour | Black |
| USB Power Delivery up to | 240 W |
| USB version | USB 3.2 Gen 2x2 |
| Vendor information | |
| Brand Name | MicroConnect |
| Warranty | 25 Year(s) |

Other products in this series

| Cable length | |
|--------------|---------------|
| 0.15 | USB3.2CC015EX |
| 0.5 | USB3.2CC05EX |
| 1 | USB3.2CC1EX |
| 1.5 | USB3.2CC1.5EX |
| 2 | USB3.2CC2EX |

Other images

