R-Go Tools Ergonomiskt tangentbord R-Go Split Break med pausprogramvara, delat tangentbord, QWERTZ (DE), Bluetooth, svart



Märke : R-Go Tools

Produktkod: RGOSBDEWLBL

Product name : Ergonomiskt tangentbord R-Go Split Break med pausprogramvara, delat tangentbord, QWERTZ (DE), Bluetooth, svart

Ergonomiskt tangentbord R-Go Split Break med pausprogramvara, delat tangentbord, QWERTZ (DE), Bluetooth, svart
R-Go Tools Ergonomiskt tangentbord R-Go Split Break med pausprogramvara, delat tangentbord, QWERTZ (DE), Bluetooth, svart. Tangentbordets formfaktor: Mini. Tangentbordsstil: Rak. Anslutningsteknologi: Trådlös, Gränssnitt: Bluetooth, Tangentteknik: Saxbrytare, Tangentbordslayout: QWERTZ. Kabellängd: 1,02 m. Rekommenderad användning: Kontor. Produktens färg: Svart



Tangentbord	
Rekommenderad användning *	Kontor
Anslutningsteknologi *	Trådlös
Gränssnitt *	Bluetooth
Tangentteknik *	Saxbrytare
Tangentbordslayout *	QWERTZ
Tangentbordsspråk *	tyska
Pekredskap *	✗
Tangentbordets formfaktor *	Mini
Numeriskt tangentbord *	✗
Tangentbordstangentens profil	Låg profil
Snabbknappar	✓
Multimediatangenter	✓
Frekvensband	2.4 GHz
Bluetooth-version	5.0
Split tangentbord	✓
Ursprungsland	Kina

Design	
Bakgrundsbelysning *	✗
Tangentbordsstil	Rak
Produktens färg *	Svart
Ytfärg	Monokromatiskt
Material	Aluminium, Plast
LED-indikatorer	✓

Egenskaper	
Täckning, trådlös router	10 m
Kabellängd	1,02 m
Plug & Play-kompatibel	✓

Strömtillförsel	
Strömkälla av typen *	Batteri
Drifttid för batteri	140 h

Mus	
Mus inkluderad *	✗

Systemkrav	
Windows-operativsystem som stöds	✓
Mac-operativsystem som stöds	✓
Linux operativsystem som stöds	✓

Vikt & dimension	
Tangentbord (BxDxH)	141 x 300 x 12 mm
Tangentbordsvikt	350 g
Vikt	350 g

Förpackning	
Förpackningens bredd	320 mm
Låddjup	162 mm
Förpackningens höjd	26 mm
Vikt inkl. förpackning	550 g

Förpackningens innehåll	
Antal produkter som medföljer *	1 styck
Mottagare medföljer	✗

Övrigt	
Djup	300 mm
Höjd	12 mm
Bredd	141 mm

Logistikdata	
Harmonized System (HS)-kod	84716060
Produkter per ytterförpackning	20 styck
Ytterförpackningens bredd	330 mm
Ytterförpackningens längd	550 mm
Ytterförpackningens höjd	180 mm
Ytterförpackningens bruttovikt	11,5 kg

Strömtillförsel	
Laddningstid	2 h
Batteri	
Batterikapacitet	500 mAh

8719274491866

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 14-NOV-2026. Prints or copies of Information are only valid on the printed Publication date