TP-Link TL-PA7017 KIT PowerLine-verkkosovitin 1000 Mbit/s Ethernet LAN Valkoinen 2 kpl

Tuotemerkki : TP-Link

Tuotekoodi: TL-PA7017 KIT

Tuotteen nimi : TL-PA7017 KIT



TP-Link TL-PA7017 KIT. Tiedonsiirron enimmäisnopeus: 1000 Mbit/s, Verkkostandardit: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, Virtapistoke: Tyyppi F. Virrankulutus: 2,3 W, Virrankulutus valmiustilassa: 0,5 W, AC-syöttöjännite: 220 V. Tuotteen väri: Valkoinen, Antennityyppi: Sisäinen, LED-merkkivalot: LAN, PLC, Teho. Tuotteen leveys: 65 mm, Tuotteen syvyys: 28,5 mm, Tuotteen korkeus: 52 mm. Vaatimustenmukaisuustodistukset: RoHS



Suorituskyky	
Tiedonsiirron enimmäisnopeus *	1000 Mbit/s
Ethernet LAN *	✔
Ethernet LAN -käyttöliittymän tyyppi	Gigabitti Ethernet
Ethernet LAN -datanopeudet	10,100,1000 Mbit/s
Wi-Fi *	✘
Verkkostandardit *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u
Virtapistoke *	Tyyppi F
Sisäänrakennettu pistorasia *	✘
PowerLine vakio	HomePlug AV2
Modulointi	OFDM
Tietoturva-algoritmit	128-bit AES
Maksimi käyttöetäisyys	300 m
Plug & Play -yhteensopiva	✔

Virranhallinta	
Virrankulutus	2,3 W
Virrankulutus valmiustilassa	0,5 W
AC-syöttöjännite	220 V
AC-syöttötaajuus	50 Hz

Suunnittelu	
Antennityyppi	Sisäinen
LED-merkkivalot	LAN, PLC, Teho
Tuotteen väri *	Valkoinen
Sertifiointi	CE

Järjestelmävaatimukset	
Windows-käyttöjärjestelmätuki	✔

Järjestelmävaatimukset	
Linux-käyttöjärjestelmätuki	✔
Mac-yhteensopivuus	✔

Ympäristöolosuhteet	
Käyttölämpötila (T-T)	0 - 40 °C
Varastointilämpötila	-40 - 70 °C
Käytön suhteellinen kosteus (H-H)	10 - 90%
Säilytysympäristön kosteus	5 - 90%

Paino ja mitat	
Tuotteen leveys	65 mm
Tuotteen syvyys	28,5 mm
Tuotteen korkeus	52 mm

Sertifikaatit	
Vaatimustenmukaisuustodistukset	RoHS

Pakkaustiedot	
Pakkauksen leveys	190 mm
Pakkauksen syvyys	136 mm
Pakkauksen korkeus	100 mm
Pakkauksen paino	410 g

Pakkauksen sisältö	
Lukumäärä per pakkaus *	2 kpl
Pika-asennusopas	✔
Sisältää johdot	LAN (RJ-45)


Logistiikkatiedot	
Harmonoidun järjestelmän nimikkeistökoodi (HS)	85171800



0845973089054




845973089054



0845973010133



845973010133



6935364089054



1210002614207



0840460605908



840460605908

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 07-NOV-2026. Prints or copies of Information are only valid on the printed Publication date