TP-Link CPE510 access-punkter för trådlösa nätverk 300 Mbit/s Vit Strömförsörjning via Ethernet (PoE) stöd





Märke : TP-Link

Produktkod: CPE510

Product name : CPE510

TP-Link CPE510. Maximal dataöverföringshastighet: 300 Mbit/s. Kryptering/säkerhet: 64-bit WEP, 128-bit WEP, 152-bit WEP, TKIP, WPA, WPA-PSK, WPA2, WPA2-PSK. Datahastighet för Ethernet-LAN: 10,100 Mbit/s. Strömförsörjning via Ethernet (PoE) stöd. Produktens färg: Vit

Egenskaper	
Maximal dataöverföringshastighet *	300 Mbit/s
Maximal överföringshastighet för trådlöst LAN	300 Mbit/s
Datahastighet för Ethernet-LAN	10,100 Mbit/s
Frekvensband	5.15 - 5.85 GHz
Bandbredd	5 GHz
Kommunikationsstandarder	IEEE 802.11a, IEEE 802.11n
Maximal räckvidd utomhus	15000 m
Mottagningskänslighet	802.11a: 54M: -75dBm, 48M: -76dBm, 36M: -83dBm, 6-24M: -95dBm 802.11n: MCS15: -73dBm, MCS14: -74dBm, MCS13: -76dBm, MCS12: -80dBm, MCS11: -83dBm, MCS10: -88dBm, MCS9: -90dBm, MCS8: -93dBm, MCS7: -73dBm, MCS6: -74dBm, MCS5: -76dBm, MCS4: -80dBm, MCS3: -83dBm, MCS2: -88dBm, MCS1: -90dBm, MCS0: -93dBm

Bevakning	
Kryptering/säkerhet *	64-bit WEP, 128-bit WEP, 152-bit WEP, TKIP, WPA, WPA-PSK, WPA2, WPA2-PSK
MAC-adressfiltrering	✔

Protokoll	
Lednings Protokoll	TDMA

Management features	
Webbaserad adminstraion	✔
Management-Plattform	Pharos Control

Anslutningar	
Antal LAN (RJ-45) anslutningar *	1
WAN-Port	Ethernet (RJ-45)

Strömtillförsel	
Strömförsörjning via Ethernet (PoE) stöd *	✔
AC-inspänning	100 - 240 V
Växelström Frekvens	50 - 60 hz
Ingående ström	0.8 A

Strömtillförsel	
Strömförbrukning (vanlig)	13 W

Design	
Produktens färg *	Vit
Återställningsknapp	✔
LED-indikatorer	✔
Intern	✘

Antenn	
Antennfunktioner	Integrerad antenn
Antenner mängd	1
Antenn ökningsnivå (max)	13 dBi

Prestanda	
Inbyggd processor	✔
Flashminne	8 MB
Internminne	64 MB
Kompatibla operativsystem	Microsoft Windows 98SE, NT, 2000, XP, Vista™ or Windows 8, Windows 7, MAC OS, NetWare, UNIX or Linux.

Certifikat	
Certifiering	FCC/UL/IC/GS/PSB/C-tick/SAA/S-Mark/KC-mark RoHS

Vikt & dimension	
Bredd	224 mm
Djup	75 mm
Höjd	60 mm

Förpackningens innehåll	
Kabel inkluderad	AC

Miljökrav	
Intervall för relativ operativ luftfuktighet	10 - 90%
Temperatur vid drift	-30 - 70 ° C
Temperaturintervall (förvaring)	-40 - 70 ° C
Fuktighet (förvaring)	5 - 95%


Logistikdata	
Harmonized System (HS)-kod	85176990



0804904109407



804904109407



6935364082260



0801940481498



801940481498




1210002611473



0840460604857



840460604857



1210002611466

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-NOV-2026. Prints or copies of Information are only valid on the printed Publication date