QNAP TS-H1887XU-RP NAS Rack (2U) Intel Xeon E E-2336 32 GB DDR4 0 TB QuTS hero Svart, Vit



Märke : QNAP

Produktkod: TS-H1887XU-RP-E2336-32G

Product name : TS-H1887XU-RP

QNAP TS-H1887XU-RP. Modell: NAS. Chassityp: Rack (2U). Enhetsklass: Stor företagsverksamhet. Processorfamilj: Intel Xeon E, Processor: E-2336, Processorfrekvens: 2,9 GHz. Internminne: 32 GB, Typ av internminne: DDR4. Total installerad lagringskapacitet: 0 TB. Installerat operativsystem: QuTS hero



Lagringsmedia	
Lagringsenhetens gränssnitt *	Serial ATA III
Lagringsenhetsgränssnitt som stöds	Serial ATA III
Storlekar som stöds på lagringsenhet	2.5,3.5"
Systemenhetsstorlekar som stöds	3.5"
RAID-stöd *	✔
RAID-nivåer	1, 5, 6, 10, 50, 60, JBOD
Online RAID-migrering	✔
Online RAID-expansion	✔
RAID-återuppbyggnad	✔
Filsystem som stöds	FAT32, HFS+, NTFS, ZFS, exFAT, ext3, ext4
Lagringsenheter installerade *	✘
Total installerad lagringskapacitet *	0 TB
Antal lagringsenheter som stöds *	18
Typer av lagringsenheter som stöds *	HDD & SSD
Diskgenomgång	✔

Processor	
Processortillverkare *	Intel
Processorfamilj *	Intel Xeon E
Processor *	E-2336
Processorfrekvens *	2,9 GHz
Processorboostfrekvens	4,8 GHz
Processorkärnor	6
Processortrådar	12
Processorns cache	12 MB
CPU konfiguration (max)	1

Minne	
Internminne *	32 GB
Typ av internminne	DDR4
Maximal RAM som stöds	128 GB
Minnesplatser	4
Minnets formfaktor	UDIMM
ECC	✔

Prestanda	
Snapshot	✔
Lednings Protokoll	SMB/CIFS, AFP, NFS
Webbaserad adminstraion	✔
Behörighetskontroll för delade mappar	✔
Kryptering/säkerhet	HTTPS, SNMPv2, SNMPv3, SSH
Åtkomstkontrollista (ACL)	✔
Återställningsknapp	✔
På / av-knapp	✔
Inbyggd FTP-server	✔
Webbläsare stöds	Apple Safari (latest version), Google Chrome (latest version), Microsoft Edge (latest version), Mozilla Firefox (latest version)
Systemlogg	✔
Hot spare-disk	✔
Diskavsökning	✔
Stöd för S.M.A.R.T.	✔
Delad mapp	Thick, Thin

Programvara	
Installerat operativsystem *	QuTS hero
Operativsystemversion	h5.0.0

Minne	
Flashminne	5000 MB

Nätverk	
Nätverksansluten (Ethernet) *	✔
Datahastighet för Ethernet-LAN	100,1000,2500 Mbit/s
Koppar Ethernet-kablar teknik	10GBASE-T
DHCP-server	✔
iSCSI-stöd	✔
Stöd för nätverksprotokoll	IPv4, IPv6
Dynamisk DNS (DDNS)	✔

Anslutningar	
USB-port *	✔
Antal USB 3.2 Gen 2 (3.1 Gen 2) typ A-portar	4
Antal LAN (RJ-45) anslutningar *	4
Antal SATA III kontakter	18
PCI Express x8 (Gen 4.x) platser	1

Design	
Chassityp *	Rack (2U)
Kylning typ *	Aktiv
Produktens färg	Svart, Vit
Antal fläktar	4 fläkt/-ar
Fläktdiameter	6 cm
LED-indikatorer	HDD, LAN, Status, USB

Prestanda	
Modell *	NAS
Enhetsklass *	Stor företagsverksamhet
Säkerhetskopieringsfunktion *	✔
Typer av säkerhetskopiering	Cloud, iSCSI LUN
Antal användare	16000 användare (er)

Programvara	
Windows-operativsystem som stöds	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64
Linux operativsystem som stöds	CentOS 7.0, Ubuntu 14.04, openSUSE 12.1, openSUSE 12.2
Mac-operativsystem som stöds	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Serveroperativsystem som stöds	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Andra operativsystem som stöds	IBM AIX 7.1, Solaris 10

Strömtillförsel	
Strömförsörjning plats	Inbyggd
Nätaggregatets effekt	550 W
Antal strömförsörjningsaggregat	2
Stöd för redundant strömförsörjning (RPS)	✔

Vikt & dimension	
Bredd *	483 mm
Djup *	630 mm
Höjd *	88 mm
Förpackningens bredd	585 mm
Låddjup	309 mm
Förpackningens höjd	739 mm
Vikt inkl. förpackning	19 kg

Förpackningens innehåll	
Kabel inkluderad	AC, LAN (RJ-45)
Antal strömkablar	2
Förpackningstyp	Låda

Processor specialfunktioner	
Inbäddade alternativ	✘
Förstärkt Intel Speedstep Technology	✔
Execute Disable Bit-säkerhet	✔
Idle stater	✔
Intel® 64	✔
Intel® Trusted Execution Technology	✔

Processor specialfunktioner	
Intel Virtualization Technology (VT-x)	✔
Intel® Virtualization Technology for Directed I/O (VT-d)	✔
Intel® VT-x med utökad Sida Tabeller (EPT)	✔
Miljökrav	
Temperatur vid drift	0 - 40 ° C
Intervall för relativ operativ luftfuktighet	5 - 95%
Temperaturintervall (förvaring)	-20 - 70 ° C
Övrigt	
Fiberkanal	✔
Garantiperiod	5 År

4711103082287

0885022024636

885022024636

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-NOV-2026. Prints or copies of Information are only valid on the printed Publication date