



**THE GERMAN
WORKSPACE
BRAND** 

ICY BOX® Spade Case 1806

M.2 NVMe enclosure with
USB 3.2 Gen 2 Type-C®

Key features

- Supports M.2 NVMe PCIe SSD in sizes 22x 30/42/60/80 mm
- USB Gen 3.2 Gen 2 Type-C® with up to 10 Gbit/s
- Aluminium enclosure in premium quality
- Toolless SSD installation
- LED indicator for power and access
- USB Type-C® to USB Type-C®/Type-A cable included



Packing content

- 1x IB-1806MT-CU31
- 1x USB Type-C® to Type-C®/A cable (60 cm)
- 2x Rubber fixture
- 1x Thermal pad
- 1x Manual



M.2 PCIe NVMe SSD

Support of M.2 NVMe SSDs with toolless installation for quick setup. With transfer speeds of up to 10 Gbit/s, it allows smooth file management and efficient data processing. The device supports SSD sizes of 22x 30/42/60/80 mm and meets various storage needs.



Durable build

Crafted from aluminium, this enclosure provides durability while also serving as a heat sink to maintain optimal SSD performance. The sturdy metal housing protects the SSD from physical damage while effectively dissipating heat, preventing overheating during intensive workloads.



Plug & Play

Engineered for simplicity, this enclosure requires no additional drivers or complicated setup. With Plug & Play support for Windows®, macOS®, and Linux®, users can instantly access their data without any delays. Its straightforward design makes it an essential tool for both professionals and casual users alike.

Offers and deliveries are only done under our General Terms and Conditions. Errors and omissions excepted.



**THE GERMAN
WORKSPACE
BRAND** 

ICY BOX® Spade Case 1806

M.2 NVMe enclosure with USB 3.2 Gen 2 Type-C®

General data

Model	IB-1806MT-C31
Article no.	61173
EAN code	4250078175070
Colour	Black
Material	Aluminium
Interface to host computer	USB 3.2 Gen 2 Type-C®
Length of cable	60 cm
Transfer rate	Up to 10 Gbit/s
UASP support	-
Plug & Play	Yes
LED	Power and access
ON/OFF button	-
Chipset	JMS583

Drive data

Drive size	22x 30/42/60/80 mm
Drive height	-
Drive interface	M.2 PCIe NVMe
Drive capacity	Up to 2 TB
Supported M.2 card keys	M-Key, B+M-Key
Space required	-
Clone function	-
HotSwap	Yes
Write protection	-

RAID data

RAID level	-
Auto rebuilding	-
Alarm	-

Additional features

Additional interfaces	-
Display	-
Control buttons	-
Lock	-
Kensington Lock	-
Degree of protection	-
Cooling	Passive
Fan volume (in Sone)	-

Power

Power supply	Bus powered
Plug dimension	-

Host system

Relative humidity	-
Operating temperature	-
Operating system	Windows®, macOS®, Linux®
System requirements	One free USB Type-C® or Type-A port

Logistical data

Packing unit	40 pcs. / carton
Total weight	5.02 kg
Gross weight (with packing)	0.114 kg
Net weight	0.064 kg
Dimension/carton	315x290x190 mm
Dimension (with packing)	114x145x80 mm
Dimension of article	144x38x12 mm
Country of origin	China

Offers and deliveries are only done under our General Terms and Conditions. Errors and omissions excepted.



THE GERMAN
WORKSPACE
BRAND 

Best combined with



IB-2924MSCL-C31

Clone & Docking Station for SATA & M.2 HDDs/SSDs

[About the product](#)

IB-2817M-C32

Enclosure for 2x NVMe SSD

[About the product](#)

