Canon

Canon i-SENSYS MF3010 laser A4 1200 x 600 DPI 18 ppm

Märke : Canon **Produktfamilj:** i-SENSYS **Produktkod:** 5252B004

Product name : MF3010



Canon i-SENSYS MF3010. Utskriftsteknologi: laser, Utskrift: Svartvit utskrift, Maximal upplösning: 1200 x 600 DPI. Kopiering: Svartvit kopiering, Maximal kopieringsupplösning: 600 x 600 DPI. Skanning: Färgscanning, Optisk skanningsupplösning: 600 x 600 DPI. Högsta ISO A-seriestorlek: A4. Produktens färg: Svart



Utskriftshastighet	
Utskriftsteknologi *	laser
Utskrift *	Svartvit utskrift
Dubbelsidig utskrift *	✗
Maximal upplösning *	1200 x 600 DPI
Utskriftshastighet (Svart, normalkvalitet, A4/US Brev) *	18 ppm
Uppvärmningstid	10 s
Tid för första utskrift (svart)	7,8 s
Utskriftsmarginaler (övre, undre, höger, vänster)	5 mm
Ekonomiutskrift	✓

Kopiera	
Dubbelsidig kopiering *	✗
Kopiering *	Svartvit kopiering
Maximal kopieringsupplösning *	600 x 600 DPI
Kopieringshastighet (normalkvalitet, svart, A4)	18 kopior per minut
Tid till första kopia (svart, normal)	12 s
Maximalt antal kopior	9 kopior
Storleksändring kopieringsmaskin	50 - 200%
N-i-1 copy-funktion (N =)	2

Skanning	
Dubbelsidig skanning *	✗
Skanning *	Färgscanning
Optisk skanningsupplösning *	600 x 600 DPI
Maximal skannerupplösning	9600 x 9600 DPI
Maximalt skanningsområde	A4 / Letter (216 x 297)
Skanningstyp *	Flatbäddsskanner
Ingång, färgdjup	24 bit
Utgång, färgdjup	24 bit
Gråskalenivå	256
Scanningsdrivrutiner	TWAIN, WIA

Pappershantering	
ISO B-seriestorlekar (B0 ... B9)	B5
Icke-ISO utskriftsmaterial av olika storlek	Executive, Kontoutdrag
Kuvertstorlek	B5, C5, Com-10, DL
Anpassad mediebredd	76 - 216 mm
Anpassad medielängd	127 - 356 mm
Pappersfackets mediavikt	60 - 163 g/m ^

Anslutningar	
Standardgränssnitt	USB 2.0
USB-port	✓
Antal USB 2.0 anslutningar	1

Nätverk	
Wi-Fi *	✗
Nätverksansluten (Ethernet) *	✗

Prestanda	
Inbyggd kortläsare	✗
Internminne *	64 MB
Ljudtrycksnivå (utskrivning)	65,3 dB
Ljudeffektsnivå (vänteläge)	43 dB

Design	
Produktens färg *	Svart
Positionering på marknaden *	Hem och kontor

Strömtillförsel	
Strömförbrukning (max)	960 W
Strömförbrukning (genomsnittligt operativt)	450 W
Strömförbrukning i PowerSave läge	450 W
Strömförbrukning i vänteläge	1,4 W
Typisk elföbrukning	0,6 kWh/vecka
AC-inspänning	220 - 240 V

Fax	
Dubbelsidig faxning	✕
Fax *	✕

Egenskaper	
Driftcykel per månad *	8000 sidor per månad
Antal bläckpatroner *	1
Skrivarfäger *	Svart
Språk för sidbeskrivning	UFRII-LT

Ingående och utgående kapacitet	
Total inmatningskapacitet *	150 ark
Total utmatningskapacitet *	100 ark

Pappershantering	
Högsta ISO A-seriestorlek *	A4
Maximal utskriftstorlek	216 x 356 mm
Pappersfackets typ av media *	Kartong, Bestruket papper, Kuverter, Etiketter, Plain paper, återvunnit papper, Genomsynligheter
ISO A-serie storlek (A0...A9) *	A4, A5

Strömtillförsel	
Växelström Frekvens	50 - 60 hz

Systemkrav	
Windows-operativsystem som stöds	Windows 2000, Windows 2000 Professional, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac-operativsystem som stöds	Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion
Linux operativsystem som stöds	✔

Miljökrav	
Intervall för relativ operativ luftfuktighet	20 - 80%
Temperatur vid drift	10 - 30 ° C

Hållbarhet	
Hållbarhetscertifiering	ENERGY STAR

Vikt & dimension	
Bredd	372 mm
Djup	276 mm
Höjd	254 mm
Vikt	8,2 kg

Logistikdata	
Harmonized System (HS)-kod	84433100

4960999783574

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 17-NOV-2026. Prints or copies of Information are only valid on the printed Publication date