DREAME

Dreame L50s Pro Ultra 0,25 l Vit

Märke : Dreame

Produktkod: RLL88HE

Product name : L50s Pro Ultra

Dreame L50s Pro Ultra. Typ av dammbehållare: Utan påse, Produktens färg: Vit, Form: Rund. Dammkapacitet (dammsugare): 0,25 l, Basstationens funktioner: Laddning, Mop washing, Hot water mop washing, Hot air drying, Auto dust emptying, Auto water..., Ljudnivå Lc IEC: 72 dB. Drifttid: 170 min, Laddningstid: 3,5 h, Basstationens effekt: 600 W. Batteriteknik: Litium-Ion (Li-Ion), Batterikapacitet: 5200 mAh. Höjd: 103,8 mm, Bredd: 350 mm, Djup: 350 mm





Design	
Typ av dammbehållare *	Utan påse
Produktens färg *	Vit
Form	Rund
Smartphone fjärrsupport	✔

Prestanda	
Våttorkning *	✔
Dammkapacitet (dammsugare) *	0,25 l
Dammkapacitet (bas)	3,2 l
Dammkapacitet (totalt)	3,45 l
Vattentankens kapacitet	0,08 l
Kapacitet renvattentank (bas)	4.5 l
Kapacitet smutsvattentank (bas)	4 l
Självtömmande dammbehållare	✔
HEPA filtreringssystem *	✔
Dammsugarens luftfiltrering	Vormax, HEPA
Återvänder automatiskt till basstation *	✔
Basstationens funktioner *	Laddning, Mop washing, Hot water mop washing, Hot air drying, Auto dust emptying, Auto water refill, Automatic detergent dispensing
Detektering av hinder	✔
Hinderpassering upp till	4 cm
Wi-Fi	✔
Antal borstar	3
Lyftbar mopp	✔

Prestanda	
Mobila operativsystem som stöds	Android, iOS
Fungerar med Google Assistant	✔
Fungerar med Amazon Alexa	✔
Ursprungsland	Kina
Röststyrning	✔
Tvättbart filter	✔
Automatisk torkning av mopp	✔

Strömtillförsel	
Drifttid *	170 min
Laddningstid	3,5 h
Basstationens effekt	600 W

Batteri	
Batteriteknik *	Litium-Ion (Li-Ion)
Batterikapacitet *	5200 mAh

Vikt & dimension	
Höjd	103,8 mm
Bredd	350 mm
Djup	350 mm
Vikt	4,1 kg
Basstationens mått (B x D x H)	340 x 457 x 590 mm

Förpackningens innehåll	
Bruksanvisning	✔
Basenhet inkluderat	✔
Garantisedel	✔

Publication date: 28-OCT-2026. Prints or copies of Information are only valid on the printed Publication date

Prestanda	
Mop lift height	1,05 cm
Typ av golvytor	Matta, Hårda golvytor, Laminat, Parkett, Klinkers, Vinyl
Integrerade sensorer	laser, Infraröd sensor, kamera
Navigeringstyp	LiDAR
Ljudnivå Lc IEC *	72 dB

Tekniska detaljer	
Stöd för mobilapp	✔
Mop ingår	✔
Vakuum	30 kPa
Veckoschema	✔
Sugkraft	30000 Pa

6979181920589

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 28-OCT-2026. Prints or copies of Information are only valid on the printed Publication date