

15U 4-Post Server Rack, 19in Open Frame Rack with 40in (101cm) Mounting Depth and 1200lb (544kg) Weight Capacity, Mobile or Floor Mount IT Rack

**Product ID:** 4POSTRACK15U



The 15U open frame rack lets you store your servers, network and telecommunications equipment in a sturdy, adjustable depth open-frame rack.

Designed with ease of use in mind, this 15U 4 post rack offers easy-to-read markings for both rack units (U) and depth, with a wide range of mounting depth adjustments (22 - 40 in.) that make it easy to adapt the adjustable server rack to fit your equipment.

This durable free standing server rack supports a static loading capacity of up to 1200 lb. (544 kg) and portable rolling weight capacity of 660 lb. (300 kg). The rack also features offers compliance with the EIA/ECA-310 standard for a universal design that's compatible with most network equipment rack equipment.

For a complete server storage solution that saves you time and hassle, the mobile server rack includes optional accessories such as casters, leveling feet and cable management hooks. The base is also pre-drilled for securely fastening the rack to the floor if needed, providing you with additional stability while free standing.

StarTech.com conducts thorough compatibility and performance testing on all our products to ensure we are meeting or exceeding industry standards and providing high-quality products to IT Professionals. Our local StarTech.com Technical Advisors have broad product expertise and work directly with our StarTech.com Engineers to provide support for our customers both pre and post-sales.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

## Certifications, Reports and Compatibility



## Applications

- Suitable for rack-mount equipment where security at the rack level is not required
- Durable storage for rack-mount servers, KVM switches, and networking equipment
- Rack-mounting A/V equipment in a radio or television studio

## Features

- **ADJUSTABLE DEPTH:** 4-Post 15U 19" open frame server rack with 4 vertical rails and adjustable mounting depth 22" to 40" (56,0cm to 101,7cm); Compatible with various servers / switches / data / AV and other IT equipment; EIA/ECA-310-E Compliant
- **EASY ASSEMBLY:** Mobile network rack with easy-to-follow assembly instructions and online video; Compact flat-pack shipping to avoid damage and facilitate installation; Only 30in (77cm) high, ideal for utility/server closets or narrow home/office spaces
- **COLD ROLLED STEEL:** Durable 4 Post 19" open frame rack designed for ventilation with 15U mounting height and 1200lb (544kg) weight capacity (stationary); 3 install options included: casters, levelling feet, or base-plate to secure rack to the floor
- **HARDWARE INCLUDED:** Rolling computer/data rack includes cage nuts and screws to mount equipment, easy to read Units (U) and depth adjustment markings, cable management hooks for organization, and required assembly tools
- **THE IT PRO'S CHOICE:** Designed and built for IT Professionals, this 15U rack is backed for 2-years, including free lifetime 24/5 multi-lingual technical assistance

---

### Hardware

|                  |                                       |
|------------------|---------------------------------------|
| Warranty         | 2 Years                               |
| Wallmountable    | No                                    |
| Rack Type        | 4-Post                                |
| Frame Type       | Open Frame                            |
| U Height         | 15U                                   |
| Special Features | Adjustable Mounting Rails             |
|                  | Base Plate with Floor-Anchoring Holes |
|                  | Built-in Cable Management             |
|                  | Casters (Included)                    |

|                       |                       |
|-----------------------|-----------------------|
|                       | Grounding Lug(s)      |
|                       | Leveling Feet         |
|                       | Easy Assembly         |
|                       | U-Markings            |
| Mounting Rail Profile | L-Shape               |
| Mounting Hole Types   | Square (For Cage Nut) |
| Industry Standards    | EIA/ECA-310-E         |

---

### Performance

|                              |                    |
|------------------------------|--------------------|
| Weight Capacity (Stationary) | 1199.5 lb [544 kg] |
|------------------------------|--------------------|

---

### Physical Characteristics

|                             |                    |
|-----------------------------|--------------------|
| Color                       | Black              |
| Construction Material       | Steel              |
| Product Length              | 3.7 ft [1.1 m]     |
| Product Width               | 23.6 in [60.0 cm]  |
| Product Height              | 30.3 in [77.1 cm]  |
| Weight of Product           | 60.4 lb [27.4 kg]  |
| Maximum Mounting Depth      | 40.0 in [101.7 cm] |
| Minimum Mounting Depth      | 22.0 in [56 cm]    |
| Product Height with Casters | 33.2 in [84.4 cm]  |

---

### Packaging Information

|                               |                   |
|-------------------------------|-------------------|
| Flat Pack (Assembly Required) | Yes               |
| Package Quantity              | 1                 |
| Package Length                | 11.5 in [29.2 cm] |
| Package Width                 | 36.7 in [93.3 cm] |

|                           |                   |
|---------------------------|-------------------|
| Package Height            | 6.2 in [15.8 cm]  |
| Shipping (Package) Weight | 59.0 lb [26.8 kg] |

---

**What's in the Box**

|                     |                              |
|---------------------|------------------------------|
| Included in Package | 4 - Caster                   |
|                     | 18 - M6 Flange Nut           |
|                     | 18 - M6 Flat Washer          |
|                     | 18 - M6 Hex Screw            |
|                     | 8 - Cable Management Hook    |
|                     | 8 - Hook Mounting Screw      |
|                     | 2 - Left Vertical Rail       |
|                     | 2 - Right Vertical Rail      |
|                     | 8 - Corner Section           |
|                     | 8 - Center Section           |
|                     | 2 - Top Bracket              |
|                     | 50 - M8 Flat Washer          |
|                     | 50 - M8 Hex Screw            |
|                     | 1 - 10mm Wrench              |
|                     | 1 - 13mm Wrench              |
|                     | 1 - Philips Head Screwdriver |
|                     | 4 - Philips Head Screw       |
|                     | 4 - Locking Washer           |
|                     | 24 - M6 Screw                |
|                     | 24 - M6 Plastic Washer       |
| 24 - M6 Cage Nut    |                              |
| 4 - Leveling Feet   |                              |

4 - Grounding Wire

1 - Manual

---

**Warranty  
Information**

Warranty

2 Years

---

*\*Product appearance and specifications are subject to change without notice.*