

Roborock F25 Series

Smart, Smooth, Stainless



*Images are for illustration purposes only and may not exactly represent the product.

Introducing Roborock F25 Series

The Roborock F25 Series combine edge-to-edge wet-dry cleaning, seamless low-profile navigation, and adaptive, self-cleaning technologies. With app compatibility, it ensures worry-free, efficient performance for all your cleaning needs.



Roborock F25 | Roborock F25 RT | Roborock F25 ACE | Roborock F25 ALT | Roborock F25 LT

Smart, Smooth, Stainless



Sticky, Even Hairy Mess? Make It No Mess.

JawScrapers™: Zero-Tangle & Streak-Free Cleaning Experience

One Stroke Wet and Dry Cleaning (>20N) Downward Cleaning Pressure* & 20,000 Pa Suction Power* / FlatReach™ 2.0 / DirText™ Smart Sensor

Auto Detergent Dispenser*



Moves As You Move

FlatReach™ 2.0: 12.5cm Low Profile Body Design

SlideTech 2.0* / Low Water Tank and 70° Swivel Design


* Only available on selected model(s).



Just Leave the Dirty Work to Itself

5-min Fast Drying* / Hot-Air Self-drying & Hot-Water Self-washing

Multiple Stages Separation System



Intuitive to Use, and Flexible for Customization

Voice Alert / Screen Display for Status Check

One-Touch App Customization*



Key Points Overview

Smart Wet-and-Dry Cleaning

Spotless with a Single Stroke

JawScrapers™

Zero-Tangle & Streak-Free Cleaning Experience

Complete Clean

Reaches from Edges to Underneath

Smart Self-Cleaning & Drying Roller

Clean and Ready to Roll

SlideTech 2.0

Seamless and Upgraded Maneuverability

Intelligent App & Voice Alerts

Designed for a Convenient Clean

Effortless Wet and Dry Cleaning

Spend less time cleaning and more time living. With 20,000¹ Pa suction and a 450 RPM cleaning frequency, the Roborock F25 Series delivers spotless results in a single stroke.

The Roborock F25 Series features a pouch battery that offers 3 times the lifespan of the cylindrical batteries used in our previous models.² With a 60-minute battery life under Eco Mode, it ensures uninterrupted cleaning sessions, covering up to 410 sqm (4,413 sqft) before needing a recharge.³

450

Cleaning Strokes⁴/min

>20N⁵

Downward Cleaning Pressure

20,000 Pa¹

Suction Power

99.99%⁶

Bacteria Removal Rate

1. Based on internal testing carried out by the manufacturer according to IEC 62885-2:2021/5.11 standards.

2. Based on internal testing carried out by the manufacturer.

3. Based on internal testing carried out by the manufacturer under Eco mode. Applies to all units except the Roborock F25 RT, which has a battery life of 40 minutes in Eco mode.

4. Based on internal testing carried out by the manufacturer.

5. Based on internal testing carried out by the manufacturer.

6. Based on testing carried out by TÜV SÜD on Staphylococcus aureus, Candida albicans and Escherichia coli under default cleaning mode, over 99.99% of bacteria on the floor are effectively removed. Report number: 704012406928-00. Actual results may vary according to the home environment.






JawScrapers™ Roller

Designed for Lasting Shine

Get flawless, watermark-free floors with a tangle-free brush—constant-pressure scraper prevents streaks, while shark-tooth blades capture hairs for a smooth, clean finish every time.

0%
Tangle Rate



Data of '0% Tangle Rate' sourced from SGS and Roborock's internal testing. In the SGS testing environment, the hair tangling rate of the floor washer was 0% across all four operation modes. In the Roborock internal testing environment, the hair tangling rate was also 0% when operating with 200 strands of 30cm dry and wet long hair. Actual results may vary depending on environmental factors.

FlatReach™ 2.0

No Spot Left Behind, Even Under Furniture

Power through tight spaces with a 12.5 cm¹ flat design that keeps full suction at 0°. Its ultra-low profile reaches every corner, leaving no dust behind.



1. Based on internal testing carried out by the manufacturer. Actual results may vary depending on environmental factors.




Smarter for Superior Cleaning

DirText™ Smart Sensor

The smart sensor detects dirt levels in real-time, automatically adjusting for optimal cleaning intensity across surfaces as it cleans.*

Clean Level



*Available for Roborock F25 and Roborock F25 ACE.

Auto Detergent Dispenser

Enjoy up to 30 days of cleaning with a single detergent refill, as the auto dispenser precisely releases detergent as needed.**

*Available on Roborock F25 and Roborock F25 ACE.

**Available on Roborock F25 ALT and Roborock F25 ACE.





Proactive Self-Washing

Hot Water Self-Washing and Drying Dock, Made Smarter*

As you clean, the F25 series uses the DirTect™ module to detect the cleanliness level of the water, so it knows how much it should be self-cleaned, even before it is placed back in the dock. *



*Proactive self-washing is available on the Roborock F25 and Roborock F25 ACE models. The rest of the F25 series are equipped with a default self-cleaning mode that activates after docking.

Moves as You Move

Smooth Maneuvers with AI Enhanced SlideTech 2.0

Enhanced with dual brushless motors for individual wheel's controls, SlideTech 2.0 provides ultra-smooth maneuverability with millisecond response times, making tight turns smooth, whether pushing or pulling.*



Small Tweak, Big Improvement

Enhanced with a low water tank and 70° swivel design, it lets you glide effortlessly around furniture and obstacles, delivering a smoother, more efficient clean.

*Available on Roborock F25 ALT and Roborock F25 ACE.

Just Leave the Dirty Work to Itself

Unlock unparalleled cleanliness with intelligent hot water self-washing and drying. The omni-sealed dock optimizes drying, while smart technology anticipates the self-cleaning needs of your F25. Advanced solid-liquid-air separation technology ensures a thorough clean every time.

90°C¹

Hot-Air Self-drying &
Hot-Water Self-washing

5 min

Fast Drying

99.99² %

Bacteria Removal Rate

Multiple Stages

Separation System

1. Based on internal testing carried out by the manufacturer. Actual results may vary depending on environmental factors.

2. Based on testing carried out by TÜV SÜD on *Staphylococcus aureus*, *Candida albicans* and *Escherichia coli* under default self-cleaning mode, over 99.99% of bacteria on the roller are effectively removed. Report number: 704012406928-00. Actual results may vary according to the home environment.



Intuitive to Use, and Flexible for Customization

Voice Alert

Receive timely notifications and updates through convenient voice alerts, keeping you informed without needing to check the device.



Screen Display for Status Check

Easily monitor the device's performance and settings with a clear screen display, allowing for quick status checks at a glance.

One-Touch App Customization*

Easily tailor your settings and preferences with app customization at your fingertips, allowing for a truly personalized cleaning experience.

*Available on Roborock F25 ACE.

Compare



	Roborock F25 RT	Roborock F25 LT	Roborock F25	Roborock F25 ALT	Roborock F25 ACE
DirText™ Smart Sensor	x	x	✓	x	✓
Auto Detergent Dispenser	x	x	x	✓	✓
Proactive Self-Washing	x	x	✓	x	✓
SlideTech 2.0	x	x	x	✓	✓
App Customization	x	x	x	x	✓
Weight	4.0kg	4.2kg	4.2kg	4.7kg	4.7kg
Dimensions (with dock)	330 * 316 * 1157	330 * 316 * 1157	330 * 316 * 1157	352 * 316 * 1157	352 * 316 * 1157
Dirty Water Tank	720 ml	720 ml	720 ml	720 ml	720 ml
Detergent Tank	/	/	/	100 ml	100 ml
Clean Water Tank	870 ml	870 ml	870 ml	740 ml	740 ml
Battery Life	40 min (Eco Mode)	60min (Eco Mode)	60min (Eco Mode)	60min (Eco Mode)	60min (Eco Mode)
5-min Fast Drying	x	✓	✓	✓	✓