TP-Link Omada EAP615-WALL access-punkter för trådlösa nätverk 1201 Mbit/s Vit Strömförsörjning via Ethernet (PoE) stöd



Märke : TP-Link **Produktfamilj:** Omada **Produktkod:** EAP615-WALL

Product name : EAP615-WALL

TP-Link Omada EAP615-WALL. 2,4 GHz, 5 GHz, Maximal dataöverföringshastighet: 1201 Mbit/s. Kryptering/säkerhet: WPA, WPA2, WPA3. Datahastighet för Ethernet-LAN: 10,100,1000 Mbit/s. Strömförsörjning via Ethernet (PoE) stöd. Produktens färg: Vit



Egenskaper	
2,4 GHz *	✔
5 GHz *	✔
6 Ghz *	✘
Maximal dataöverföringshastighet *	1201 Mbit/s
Maximal dataöverföringshastighet (2,4 GHz)	574 Mbit/s
Maximal dataöverföringshastighet (5 GHz)	1201 Mbit/s
Datahastighet för Ethernet-LAN	10,100,1000 Mbit/s
Kommunikationsstandarder	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Kabelteknik	10/100/1000Base-T(X)
Automatisk kanalväljare	✔
Automatisk kanalavsökning	✔
MIMO	✔
MIMO-typ	Multi User MIMO
VLAN-stöd	✔
Överföringsbegränsning	✔
Trådlös isolering	✔
Bandstyrd	✔
ATF (Airtime Fairness)	✔
Stöd för garanterad tjänstekvalitet (QoS)	✔
Beamforming	✔
Sändningseffekt (CE)	20 dBm
Sändningseffekt (FCC)	21 dBm

Bevakning	
Kryptering/säkerhet *	WPA, WPA2, WPA3
Funktioner för Service Set Identifier (SSID)	Multiple SSIDs
Antal SSID som stöds	16

Management features	
Firmware kan uppgraderas	✔

Anslutningar	
Antal LAN (RJ-45) anslutningar *	1

Strömtillförsel	
Strömförsörjning via Ethernet (PoE) stöd *	✔

Design	
placering *	Vägg
Produktens färg *	Vit
På / av-knapp	✔
Återställningsknapp	✔
LED-indikatorer	Energiljus

Antenn	
Antenntyp *	Intern
Antenner mängd	4
Antenn ökningsnivå (max)	4 dBi

Certifikat	
Certifiering	CE, FCC

Vikt & dimension	
Bredd	143 mm
Djup	86 mm
Höjd	20 mm

Förpackning	
Förpackningens bredd	385 mm
Låddjup	495 mm
Förpackningens höjd	210 mm
Vikt inkl. förpackning	330 g

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date

Bevakning	
RADIUS (Remote Authentication Dial-In User Service)	✔
Åtkomstkontrollista (ACL)	✔

Management features	
Syslog	✔

Miljökrav	
Intervall för relativ operativ luftfuktighet	10 - 90%
Temperatur vid drift	0 - 40 ° C
Temperaturintervall (förvaring)	-40 - 70 ° C
Fuktighet (förvaring)	5 - 90%

Logistikdata	
Harmonized System (HS)-kod	85176990

4897098683606

4897098682128

0840030703607

840030703607

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date