TP-Link Omada EAP215-Bridge KIT Nätverksbrygga 867 Mbit/s Vit





Märke : TP-Link

Produktfamilj: Omada

Produktkod: EAP215-BRIDGE KIT

Product name : EAP215-Bridge KIT

TP-Link Omada EAP215-Bridge KIT. Maximal dataöverföringshastighet: 867 Mbit/s, Maximal överföringshastighet avstånd: 5000 m. Antenndesign: Intern, Antenntyp: 2x2, Antenn ökningsnivå (max): 14 dBi. Wi-Fi-band: Enkelband (5 Ghz), Wi-Fi-standard: Wi-Fi 5 (802.11ac), Dataöverföringshastighet via WLAN (max): 867 Mbit/s. Typ av Ethernet LAN-gränssnitt: Gigabit Ethernet, Datahastighet för Ethernet-LAN: 10,100,1000 Mbit/s, Kommunikationsstandarder: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11be, IEEE 802.11g, IEEE 802.11n. Anslutningsteknologi: Kabel & Trådlös

Data transmission	
Maximal dataöverföringshastighet *	867 Mbit/s
Maximal överföringshastighet avstånd	5000 m
Antenn	
Antenndesign	Intern
Antenntyp	2x2
Antenn ökningsnivå (max)	14 dBi
Trådlös LAN	
Wi-Fi	✔
Wi-Fi-band	Enkelband (5 Ghz)
Wi-Fi-standard	Wi-Fi 5 (802.11ac)
Dataöverföringshastighet via WLAN (max)	867 Mbit/s
Frekvensband	5 GHz
Nätverk	
Nätverksansluten (Ethernet)	✔
Typ av Ethernet LAN-gränssnitt	Gigabit Ethernet
Datahastighet för Ethernet-LAN	10,100,1000 Mbit/s
Kommunikationsstandarder	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11be, IEEE 802.11g, IEEE 802.11n
Kabelteknik	10/100/1000Base-T(X)
Anslutningar	
Anslutningsteknologi	Kabel & Trådlös
Antal LAN (RJ-45) anslutningar	3
Likströmsingång	✔

Egenskaper	
Produkttyp *	Nätverksbrygga
Monteringssätt	Stav
Produktens färg	Vit
LED-indikatorer	Energiljus
Återställningsknapp	✔
Internationellt skydd (IP) kod	IP65
Stöd för garanterad tjänstekvalitet (QoS)	✔
Strömtillförsel	
Strömkälla av typen	DC, PoE
Likströmsdriftspänning	12 V
Strömförsörjning via Ethernet (PoE) stöd	✔
Strömförsörjning via Ethernet	24 V
Miljökrav	
Temperatur vid drift	-40 - 70 ° C
Intervall för relativ operativ luftfuktighet	10 - 90%
Temperaturintervall (förvaring)	-40 - 70 ° C
Fuktighet (förvaring)	5 - 90%
Certifikat	
Certifiering	CE, FCC
Vikt & dimension	
Bredd	79 mm
Djup	60 mm
Höjd	276 mm

Bevakning	
Kryptering/säkerhet	SNMP, SNMPv2, SNMPv3, SSH
MAC-adressfiltrering	✔

Management features	
Webbaserad adminstraion	✔

Förpackningens innehåll	
POE+-injektor(-er)	✔
Kabel inkluderad	AC



4895252502565



0840030709159



840030709159



4895252502572



8885020627077




8885020627084




0810142823388




810142823388



1210002603751



1210002603744



0840460601542



840460601542

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date