ZYXEL

Zyxel Nebula FWA70 langaton reititin 2.5 Gigabit Ethernet 5G

Tuotemerkki : Zyxel

Tuotekoodi: FWA70-EU0102F

Tuotteen nimi : Nebula FWA70

Zyxel Nebula FWA70. WAN -liitintyyppi: RJ-45. Ethernet LAN -käyttöliittymän tyyppi: 2.5 Gigabit Ethernet, Ethernet LAN -datanopeudet: 2500 Mbit/s, Verkkostandardit: IEEE 802.3af, IEEE 802.3at. Mobiiliverkon sukupolvi: 5G, 4G-standardit: LTE-TDD & LTE-FDD, SIM-kortin tyyppi: NanoSIM. International Protection (IP)-koodi: IP55, LED-merkkivalot: Tila. Sertifiointi: CE UKCA WEEE HSF (Hazardous Substance Free)

WAN-yhteys	
Ethernet WAN *	✔
SIM-korttipaikka *	✔
WAN -liitintyyppi	RJ-45
Verkko	
Ethernet LAN *	✔
Ethernet LAN -käyttöliittymän tyyppi *	2.5 Gigabit Ethernet
Ethernet LAN -datanopeudet	2500 Mbit/s
Verkkostandardit	IEEE 802.3af, IEEE 802.3at
Portin uudelleenohjaus	✔
Portin aktivointi	✔
VPN Passthrough	✔
Mobiili verkostoituminen	
Mobiiliverkon sukupolvi	5G
4G-standardit	LTE-TDD & LTE-FDD
SIM-kortin tyyppi	NanoSIM
Liitettävyys	
Ethernet LAN (RJ-45) -portit *	1
USB-portti *	✔
DC-tulojakki	✔
Hallintaominaisuudet	
Uudelleenkäynnistyspainike	✔
Suojaus	
Stateful Packet Inspection (SPI)	✔
MAC-osoitteensuodatus	✔
IP-osoitteen suodatus	✔
URL-suodatus	✔
DMZ-tuki	✔

Protokollat	
Universal Plug and Play (UpNP)	✔
Suunnittelu	
International Protection (IP)-koodi	IP55
LED-merkkivalot	Tila
Sertifikaatit	
Sertifiointi	CE UKCA WEEE HSF (Hazardous Substance Free)
Pakkauksen sisältö	
Sisältää johdot	LAN (RJ-45)
PoE-injektori sisältyy	✔
Antenni	
Antennin muotoilu *	Sisäinen
Antennin vahvistustaso (maks.)	9 dBi
Antennien määrä	4
Virranhallinta	
Virtalähteen malli *	DC, PoE
Virrankulutus	15 W
Ympäristöolosuhteet	
Käyttölämpötila (T-T)	-30 - 55 °C
Varastointilämpötila	-40 - 70 °C
Käytön suhteellinen kosteus (H-H)	5 - 95%
Säilytysympäristön kosteus	5 - 95%
Paino ja mitat	
Tuotteen leveys	68 mm
Tuotteen syvyys	150 mm
Tuotteen korkeus	200 mm
Paino	660 g
Pakkaustiedot	
Pakkauksen leveys	225 mm

Suojaus	
Network address translation (NAT)	✔

Protokollat	
DHCP serveri	✔

Pakkaustiedot	
Pakkauksen syvyys	275 mm
Pakkauksen korkeus	100 mm
Pakkauksen paino	1,36 kg
Pakkaustyyppi	Laatikko

4718937652860

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 07-NOV-2026. Prints or copies of Information are only valid on the printed Publication date