



SD4839P USB-C 10Gbps Triple Video Driverless Docking Station with 85W Power Delivery

Part Number: K33480EU, EAN Code: 5028252633499 | Part Number: K33480UK, EAN Code: 5028252633505

Work on three
screens quickly
and easily

If you have a USB-C enabled device and need to work on multiple screens, the SD4839P is the ideal docking station.

Simply connect any USB-C laptop running Windows 10 or later and choose the right connections and resolutions for your needs.

The nine-in-one design expands your connectivity options. A zero-footprint mounting option and security cable lock slots maximises desktop space, reduces clutter and protects your investment.


Features include:

- Driverless USB-C connectivity
- Universal Windows compatibility
- Numerous video ports
- Dynamic video support
- 85W Power Delivery
- 9-in-1 design with 4 x USB ports
- Zero-footprint mounting option and security cable lock slots
- Free Kensington DockWorks™ software
- Three-year limited warranty


SD4839P USB-C 10Gbps Triple Video Driverless Docking Station with 85W Power Delivery

Part Number: K33480EU, EAN Code: 5028252633499 | Part Number: K33480UK, EAN Code: 5028252633505

Front



Back




SD4839P USB-C 10Gbps Triple Video Driverless Docking Station with 85W Power Delivery

Part Number: K33480EU, EAN Code: 5028252633499 | Part Number: K33480UK, EAN Code: 5028252633505



Driverless USB-C Connectivity

No driver to download, install or update. 10Gbps data transfer speed and 85W Power Delivery (PD 3.0) make this an ideal solution for all USB-C Windows laptops supporting DisplayPort Alt Mode and Power Delivery.



Universal Windows Compatibility

Connects seamlessly to any laptop running Windows 10 or later.



Numerous Video Ports

With 2 x DisplayPort++ 1.4 ports and 1 x HDMI 2.0 port, select the right connections and resolutions for your needs. Resolutions supported vary by the device connected (see manual or specifications table for more information).



Dynamic Video Support

Supports up to 3 x 1080p @ 60Hz - an ideal solution for multi-monitor setups.



85W Power Delivery

Allows you to quickly and easily charge any Thunderbolt 3, Thunderbolt 4, USB4 or USB-C enabled laptop (USB-C laptops must support Power Delivery).



9-in-1 Design with 4 USB Ports

The front features 1 x USB-C 3.2 Gen2 port (up to 5V/1.5A/10Gbps), 3 x USB-A 3.2 Gen2 ports (up to 5V/0.9A/10Gbps), and a combo audio port. The rear features a Gigabit Ethernet port, 2 x DP++ 1.4 ports, and 1 x HDMI 2.0 port.



Zero-Footprint Mounting Option and Security Cable Lock Slots

Maximise desktop space and reduce cable clutter by mounting your docking station out of the way (mounting bracket K34050WW, sold separately). Lock slots allow you to protect your investment with a cable lock (K65020EU or K64444WW, sold separately).



Free Kensington DockWorks™ Software and Three-Year Limited Warranty

DockWorks™ WiFi Auto-Switch guarantees the fastest, most reliable internet connection. MAC Address ID Pass-Through & Reset together with Device Connection Monitoring give IT managers maximum network monitoring and visibility. A three-year limited warranty lets you rest assured knowing you're covered by Kensington.

SD4839P USB-C 10Gbps Triple Video Driverless Docking Station with 85W Power Delivery

Part Number: K33480EU, EAN Code: 5028252633499 | Part Number: K33480UK, EAN Code: 5028252633505

System Requirements

Systems Supported	All Laptops with a USB-C port (must support USB-C Alt Mode and Power Delivery)
Operating Systems Supported	Windows® 10 or later
Plug & Play	Yes
System Resource Requirement	CPU: Intel® Core™ i5 6th generation or above Memory: 8Gb or above GPU: Intel® HD Graphics 620 or above
Additional Software Information	DockWorks (Windows 10 or later)
USB-C Power Delivery	PD3.0, 5V/ 9V/ 15V/ 20V@4.25A (up to 85W)

USB Interface

Type of USB Connector	USB-C Connector
Host Connector	Supports USB3.2 Gen2 Type-C with USB-C Alt Mode and Power Delivery

USB Connections

Ports	Front Panel - 1 x Power Button - 1 x USB-C 3.2 Gen2 10Gbps (up to 5V/1.5A) - 3 x USB-A 3.2 Gen2 10Gbps (up to 5V/0.9A) - 1 x Audio Combo Jack Side Panel - 1 x USB-C Host Port (up to 85W Charging) Back Panel - 1 x HDMI 2.0 - 2 x DP1.4++ - 1 x 1Gbps Ethernet - 1 x DC Jack
-------	---

Network Connections

Ethernet Port	RJ45
Compatible Ethernet Speeds	10/100/1000 Mbps

Host Connectivity

Host Docking Connector	USB-C with Power Delivery up to 85W
------------------------	-------------------------------------

SD4839P USB-C 10Gbps Triple Video Driverless Docking Station with 85W Power Delivery

Part Number: K33480EU, EAN Code: 5028252633499 | Part Number: K33480UK, EAN Code: 5028252633505


Video Connections

Video Connectors	2 x DisplayPort v1.4 ++ 1 x HDMI 2.0
Maximum Resolution Supported (Host with DP1.4 and DSC turned on)	Triple Display Up to 2 x 4K@30Hz (DP+DP) + 1 x 1080p@60Hz (HDMI) Dual Display up to 2 x 4K@60Hz (DP+DP) Single Display 1 x 4K@60Hz (DP or HDMI)
HDCP Support	HDCP 2.2 & 1.

		
	DP1.2	DP1.4 (DSC ON)
 	4K @ 30Hz	4K @ 60Hz

			
	DP1.2	DP1.4 (DSC ON)	
	1080p @ 30Hz	4K @ 30Hz (first come, first serve)	1080p @ 60Hz
	1080p @ 30Hz	4K @ 30Hz (first come, first serve)	1080p @ 60Hz
	1080p @ 30Hz	1080p @ 60Hz	4K @ 30Hz (first come, first serve)

		
	DP1.2	DP1.4 (DSC ON)
	1080p @ 60Hz	4K @ 60Hz
		4K @ 30Hz(DP)
	1080p @ 60Hz	4K @ 30Hz(HDMI)



Audio Connections

Audio Connectors	1 x 3.5mm audio combo jack
Audio Channels Supported	Stereo LR

LED Indicator

Blue LED	Power indicator
----------	-----------------

Material Specifications

Exterior	PC + ABS with texture
Bottom	PC + ABS with texture
Product Colour	Pantone Black C

SD4839P USB-C 10Gbps Triple Video Driverless Docking Station with 85W Power Delivery

Part Number: K33480EU, EAN Code: 5028252633499 | Part Number: K33480UK, EAN Code: 5028252633505

Other Features

Kensington Security Slot	Kensington Security Slot Kensington Nano Security Slot
VESA Mount Compatible	Yes

Product Dimensions

Unit Weight	270g (0.59lbs)
Unit Dimensions without Peripherals (L x W x H)	180 x 80 x 22mm (7.08 x 3.14 x 0.86")
Enclosure Colour & Material	PC + ABS with texture, Pantone Black C
Desktop Footprint	144cm ² (22.32in ²)

Packaging Dimensions

Packaging Style	Bulk Package
Packaging Dimensions (L x W x H)	196 x 101 x 101mm (7.71 x 3.97 x 3.97")
Packaging Weight	1.05kg (2.31lbs)
Packaging Content	1 x SD4839P Dock 1 x 1m USB-C cable 1 x Power Supply Unit (Power Cord varies by different SKUs) 1 x Instruction Guide 1 x Warranty Card 1 x Compliance Sheet
Master Carton	4pcs

Power & Environmental

Power Adapter Rating	Input: 100-240V; 2.5A/Output: 20V DC 6.75A (135W)
Relative Humidity	55% RH operating temperature @ 25°C (77°F)
Operating Temperature	0 to 45°C (32 to 113°F)
Storage Temperature	0 to 60°C (32 to 140°F)

Country of Origin, Regulatory, and Warranty

Country of Origin	China
Certifications & Compliance	CE, CB, ErP, FCC, ICES, UKCA, VCCI, ACCO RSL
Warranty	3-Year Limited - worldwide

Special Notes

Multiple SKUs	Bulk Package
---------------	--------------



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. © 2022 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. CBT37882EN

Kensington
The Professionals' Choice™