Product fiche

Delegated Regulation (EU) 626/2011

Supplier name or trademark	BLACK+DECKER
Model identifier	BXAC12000E
Indoor Model Identifier(s)	BXAC12000E
Outdoor Model Identifier	BXAC12000E
This model has been granted an 'EU Eco-label award' under Regulation (EC) No 66/2010.	
Inside sound power levels (Cooling mode)	65 dB
Inside sound power levels (Heating mode)	65 dB
Outside sound power levels (Cooling mode)	65 dB
Outside sound power levels (Heating mode)	65 dB
Refrigerant Name	R290
Refrigerant GWP	3

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 3. This means that if 1 kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 3 times higher than 1 kg of CO 2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.

Cooling Mode	
Energy Efficiency Ratio (EER)	2,6
Energy Efficiency Class	A
Hourly electricity consumption	Energy consumption 1,3 kWh per 60 minutes, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.
Cooling capacity	3,5 kW
Heating Mode	
Coefficient Of Performance (COP)	2,6
Energy Efficiency Class	A+
Hourly electricity consumption	Energy consumption 1,2 kWh per 60 minutes, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.
Heating capacity	3,3 kW

Model placed on the Union market from 12/05/2021



EPREL registration number: 643958 https://eprel.ec.europa.eu/qr/643958

Supplier: ENGINEERING AND TECHNOLOGY FOR LIFE SL (Importer) **Website:**

Customer care service:

Name: B+D CONTACT Website:

Email: infoenergylabel@etforlife.com Phone: 973470550

Address:

AVDA. BARCELONA S/N

Spain