TP-Link Omada EAP615-WALL WLAN-tukiasema 1201 Mbit/s Valkoinen Power over Ethernet -tuki



Tuotemerkki : TP-Link **Tuoteperhe:** Omada **Tuotekoodi:** EAP615-WALL

Tuotteen nimi : EAP615-WALL

TP-Link Omada EAP615-WALL. 2,4 GHz, 5 GHz, Tiedonsiirron enimmäisnopeus: 1201 Mbit/s. Tietoturva-algoritmit: WPA, WPA2, WPA3. Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s. Power over Ethernet -tuki. Tuotteen väri: Valkoinen



Ominaisuudet	
2,4 GHz *	✔
5 GHz *	✔
6 GHz *	✘
Tiedonsiirron enimmäisnopeus *	1201 Mbit/s
Datan enimmäissiirtonopeus (2,4 GHz)	574 Mbit/s
Datan enimmäissiirtonopeus (5 GHz)	1201 Mbit/s
Ethernet LAN -datanopeudet	10,100,1000 Mbit/s
Verkkostandardit	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Kaapelitekniikka	10/100/1000Base-T(X)
Automaattinen kanavanvalinta	✔
Automaattinen kanavaskannaus	✔
MIMO	✔
MIMO-tyyppi	Multi User MIMO
VLAN-tuki	✔
Nopeuden rajoitus	✔
Wireless isolation	✔
Band Steering	✔
Airtime Fairness (ATF)	✔
Quality of Service -tuki	✔
BeamForming-teknologia	✔
Lähetysteho (CE)	20 dBm
Lähetysteho (FCC)	21 dBm

Suojaus	
Tietoturva-algoritmit *	WPA, WPA2, WPA3
Langattoman verkon tunnuksen (SSID) ominaisuudet	Multiple SSIDs
SSID-tukien lukumäärä	16

Liitettävyys	
Ethernet LAN (RJ-45) -portit *	1

Virranhallinta	
Power over Ethernet -tuki *	✔

Suunnittelu	
Sijoitus *	Seinä
Tuotteen väri *	Valkoinen
On/off-kytkin	✔
Uudelleenkäynnistyspainike	✔
LED-merkkivalot	Teho

Antenni	
Antennityyppi *	Sisäinen
Antennien määrä	4
Antennin vahvistustaso (maks.)	4 dBi

Sertifikaatit	
Sertifiointi	CE, FCC

Paino ja mitat	
Tuotteen leveys	143 mm
Tuotteen syvyys	86 mm
Tuotteen korkeus	20 mm

Pakkaustiedot	
Pakkauksen leveys	385 mm
Pakkauksen syvyys	495 mm
Pakkauksen korkeus	210 mm
Pakkauksen paino	330 g

Ympäristöolosuhteet	
Käytön suhteellinen kosteus (H-H)	10 - 90%
Käyttölämpötila (T-T)	0 - 40 °C
Varastointilämpötila	-40 - 70 °C
Säilytysympäristön kosteus	5 - 90%

Suojaus	
Remote Authentication Dial-In User Service (RADIUS)	✔
Pääsynhallintalista	✔

Hallintaominaisuudet	
Syslog	✔
Päivitettävä Firmware	✔

Logistiikkatiedot	
Harmonoidun järjestelmän nimikkeistökoodi (HS)	85176990

4897098683606

4897098682128

0840030703607

840030703607

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date