

Roborock F25 Combo Series

All-Rounded, Ready Everywhere



*Images are for illustration purposes only and may not exactly represent the product.



Key Points Overview

■ No Place Out of Reach

Ultimate 5-in-1 Cleaning Solution

■ Complete Clean

Reaches from Edges to Underneath

■ SlideTech 2.0

Seamless and Upgraded Maneuverability

■ Intelligent App and Voice Alerts

Designed for a Convenient Clean

■ Smart Wet-and-Dry Cleaning

Spotless with a Single Stroke

■ JawScrapers™

Zero-Tangle & Streak-Free Cleaning Experience

■ Smart Self-Cleaning and Drying Roller

Stays Clean and Ready to Roll



One Core “Beats” for All

With a detachable power unit compatible with both bodies and three interchangeable brush heads, your machine seamlessly transforms into a wet-and-dry vacuum, a cordless stick vacuum, or a dust mite controller.

99.99%¹

Bacteria Removal Rate

99.99%²

Mite Removal Rate

Not Just the Floor, But Everywhere

| Cordless Stick Vacuum:

Dust removal with powerful, loss-free suction³

| Reaching Edges:

Suctioning dust from household high spaces with extension baton

| Cleaning Crevices:

Crevice cleaning brush designed for furniture gaps and window edges

| Dust Mite Controller:

Meticulous care tailored for dust-mite sufferers⁴

| Wet-And-Dry Vacuum Cleaner

Mop away both wet and dry waste




Effortless Wet and Dry Cleaning

Spend less time cleaning and more time living. With 20,000⁵ Pa suction and a 450 RPM cleaning frequency, the Roborock F25 Combo Series delivers spotless results in a single stroke.



With a 60-minute battery life under Eco Mode, it ensures uninterrupted cleaning sessions, covering up to 410 sqm (4,413 sqft) before needing a recharge.





JawScrapers™ Roller

Designed for Lasting Shine

Get flawless, watermark-free floors with a tangle-free brush—constant-pressure scraper prevents streaks, while shark-tooth blades capture hairs for a smooth, clean finish every time.

0%

Tangle Rate



Performance Tested

- ✓ Anti-hair Entanglement
- ✓ Auto: No entanglement
- ✓ Max: No entanglement
- ✓ Eco: No entanglement
- ✓ Absorb: No entanglement



Data of '0% Tangle Rate' sourced from SGS and Roborock's internal testing. In the SGS testing environment, the hair tangling rate of the floor washer was 0% across all four operation modes. In the Roborock internal testing environment, the hair tangling rate was also 0% when operating with 200 strands of 30cm dry and wet long hair. Actual results may vary depending on environmental factors.

FlatReach™ 2.0

No Spot Left Behind, Even Under Furniture

Power through tight spaces with a 12.5 cm¹⁴ flat design that keeps full suction at 0°. Its ultra-low profile reaches every corner, leaving no dust behind.





Auto Detergent Dispenser

Smarter for Superior Cleaning

Enjoy up to 30 days of cleaning with a single detergent refill, as the auto dispenser precisely releases detergent as needed.*

*Available on Roborock F25 ACE Combo.



Moves as You Move

Smooth Maneuvers with AI Enhanced SlideTech 2.0

Enhanced with dual brushless motors for individual wheel's controls, SlideTech 2.0 provides ultra-smooth maneuverability with millisecond response times, making tight turns smooth, whether pushing or pulling. *

Small Tweak, Big Improvement

Enhanced with a low water tank and 70° swivel design, it lets you glide effortlessly around furniture and obstacles, delivering a smoother, more efficient clean.

*Available on Roborock F25 ACE Combo.

70°



Just Leave the Dirty Work to Itself

Unlock unparalleled cleanliness with intelligent hot water self-washing and drying. The omni-sealed dock optimizes drying, while smart technology anticipates the self-cleaning needs of your F25. Advanced solid-liquid-air separation technology ensures a thorough clean every time.



90°C¹⁶

Hot-Air Self-drying &
Hot-Water Self-washing

99.99¹⁷ %

Bacteria Removal Rate



5 min

Fast Drying

Multiple Stages

Separation System

Intuitive to Use, and Flexible for Customization



Voice Alert


Receive timely notifications and updates through convenient voice alerts, keeping you informed without needing to check the device.



Screen Display for Status Check

Easily monitor the device's performance and settings with a clear screen display, allowing for quick status checks at a glance.

*Available on Roborock F25 ACE Combo.



One-Touch App Customization*

Easily tailor your settings and preferences with app customization at your fingertips, allowing for a truly personalized cleaning experience.



Sweep Dust Away in an Instant

Mighty Suction, Dust-Free Living

120,000 RPM¹⁸

High-Speed Motor

25,000 Pa¹⁹

Suction Power

Powerful suction paired with a unique adaptive brush, deeply cleans floors and carpets, leaving them spotless and refreshed.

Green Light Illumination*

Shine the Light on Hidden Dust

Emitted from the brush head, the green light reveals dust and fine particles which are barely noticeable in natural light on the floor.

*Available on Roborock F25 ACE Combo.






9-Cone Cyclonic Technology

Multi-Layer Filtration, Consistently Anti-Clogging

Powerful cyclonic forces combined with a micron-level five-layer filtration system separate dust particles 8 times smaller than PM_{2.5}, preventing filter clogging and dust pollution.

99.99%¹

Removal Rate of 0.3 μ m Dust²⁰



5-layer Noise Reduction System

≤73dB(A)²¹

Under Eco Mode



Zero Hair Entanglement

0%²²

Hair tangle rate with unique adaptive brush*



Click, Drop, Clean

One-click dustbin release
for dust convenient disposal and
thorough interior cleaning.

*Available on Roborock F25 ACE Combo.

Product Comparison²³



Roborock F25 Combo



Roborock F25 ACE Combo

5-In-1 Combo	✓	✓
Auto Detergent Dispenser	x	✓
Self-Washing & Drying	✓	✓
SlideTech 2.0	x	✓
Voice Alert	✓	✓
App Customization	x	✓
Weight (Wet & Dry Vacuum Cleaner)	4.2kg (9.3 lbs)	4.7kg (10.4 lbs)
Dimensions (with dock)	352 * 316 * 1157mm (13.9 * 12.4 * 45.6 inches)	352 * 316 * 1157mm (13.9 * 12.4 * 45.6 inches)
Dirty Water Tank	720 ml	720 ml
Detergent Tank	/	100 ml
Clean Water Tank	870 ml	740 ml
Weight (Cordless Stick Vacuum)	1.7kg (3.7 lbs)	1.7kg (3.7 lbs)
Multi-Surface Brush	✓	✓
Motorized Mini Brush	✓	✓
2-In-1 Cleaning Brush	✓	✓
Stick Vacuum & Brush Head Storage Stand	✓	✓
Green Light Illumination	x	✓
Maximum Suction Power	Wet & Dry Cleaner: 20,000Pa Stick Vacuum: 25,000Pa	Wet & Dry Cleaner: 20,000 Pa Stick Vacuum: 25,000Pa
Dust Capacity	560ml	560ml
Battery Life	Wet & Dry Cleaner: 60min (Eco Mode) Stick Vacuum: 65min (Eco Mode with 2-in-1 cleaning head on)	Wet & Dry Cleaner: 60min (Eco Mode) Stick Vacuum: 65min (Eco Mode with 2-in-1 cleaning head on)

1. Based on testing carried out by TÜV SÜD on Staphylococcus aureus, Candida albicans and Escherichia coli under default cleaning mode, over 99.99% of bacteria on the floor are effectively removed. Report No.: 704012409452-00. Actual results may vary according to the home environment.
2. Based on testing carried out by SGS lab, the bed brush removes mites up to 99.99% of mites under the test conditions. Report No.: DSS_SHES241102212771. Actual results may vary depending on the home environment.
3. Based on testing carried out by SGS lab, when the dust collector is continuously discharged with load, it can still maintain a constant suction power. Report No.: SHES241102211271. According to the standard QB/T1562-2014, Chapter 5.8 stipulates that "the difference between the test value and the stated value should not be greater than 3%." When the test result of the sample is less than 3%, it can be stated that the suction loss of this product is 0%
4. Based on testing carried out by SGS lab, the bed brush removes mites up to 99.99% of mites under the test conditions. Report No.: DSS_SHES241102212771. Actual results may vary depending on the home environment.
5. Based on internal testing carried out by the manufacturer according to IEC 62885-2:2021/5.11 standards. Actual results may vary depending on environmental factors.
6. Based on testing carried out by TÜV SÜD on Staphylococcus aureus, Candida albicans and Escherichia coli under default cleaning mode, over 99.99% of bacteria on the floor are effectively removed. Report No.: 704012406928-00. Actual results may vary according to the home environment.
7. Based on internal testing carried out by the manufacturer. Actual results may vary depending on environmental factors.
8. Based on internal testing carried out by the manufacturer. Actual results may vary depending on environmental factors.
9. Based on internal testing carried out by the manufacturer. Actual results may vary depending on environmental factors.
10. Based on internal testing carried out by the manufacturer under Eco mode.
11. Based on internal testing carried out by the manufacturer under Eco mode.
12. Based on internal testing. Actual results may vary depending on environmental factors.
13. Data sourced from SGS and Roborock's internal testing. In the SGS testing environment, the hair tangling rate of the floor washer was 0% across all four operation modes. In the Roborock internal testing environment, the hair tangling rate was also 0% when operating with 200 strands of 30cm dry and wet long hair. Actual results may vary depending on environmental factors.
14. Based on internal testing carried out by the manufacturer. Actual results may vary depending on environmental factors
15. Based on internal testing carried out by the manufacturer. After fully filling the cleaning solution tank, it can provide up to 30 days of usage without needing a refill, based on once-daily usage in a test environment. Actual usage may vary depending on environmental factors.
16. Based on internal testing. Actual results may vary depending on environmental factors.
17. Based on testing carried out by TÜV SÜD on Staphylococcus aureus, Candida albicans and Escherichia coli under default self-cleaning mode, over 99.99% of bacteria on the roller are effectively removed. Report No.: 704012409452-00. Actual results may vary according to the home environment.
18. Based on third-party laboratory testing. Actual results may vary depending on environmental factors.
19. Based on internal testing carried out by the manufacturer according to IEC 62885-2:2021/5.11 standards. The maximum suction reaches up to 120 AW, which generates a suction power up to 25,000 Pa. Actual results may vary depending on environmental factors.
20. Based on testing carried out by TÜV Rheinland. The vacuum cleaner has a filtration efficiency of up to 99.99% for particles as small as 0.3µm under the test environment. Report No.: CN24W10K001. Actual results may vary according to the home environment.
21. Based on internal testing carried out by the manufacturer. Actual results may vary according to the home environment.
22. Based on testing carried out by TÜV NÜD, the average hair removal rate reaches 100.00% and leave 0 hair entanglement on the brush surface. Report No.: 704012409503-00. Actual results may vary according to the home environment.
23. Due to differences in measurement methods and usage environments, the actual data may vary from the values indicated above. Please refer to the physical products for accurate information.