be quiet! System Power 11 650W strömförsörjningsenheter 20+4 pin ATX ATX Svart



Märke : be quiet!

Produktkod: BP011EU

Product name : System Power 11 650W



be quiet! System Power 11 650W. Total effekt: 650 W, AC-inspänning: 200 - 240 V, Växelström Frekvens: 50 hz. Moderkort strömkontakt: 20+4 pin ATX, Typ av kablage: Icke-Modulär. Ändamål: PC, Strömförsörjningsenhet formfaktor: ATX, 80 plus-certifiering: 80 PLUS Bronze. Produktens färg: Svart, Kylning typ: Aktiv, Fläktdiameter: 12 cm. Certifikat för överensstämmelse: CB, CE, RoHS, TÜV mark, UKCA, WEEE

Strömtillförsel	
Total effekt *	650 W
AC-inspänning *	200 - 240 V
Växelström Frekvens	50 hz
Ingående ström	4 A
Effektfaktor	0,98
Antal 12 V-skenor	1
Kombinerad effekt (+3,3 V)	120 W
Kombinerad effekt (+12 V)	650 W
Kombinerad effekt (+5 V)	120 W
Kombinerad effekt (-12V)	3,6 W
Kombinerad effekt (+5 VSB)	15 W
Max utström (+3,3 V)	20 A
Max utström (+12 V1)	54,17 A
Max utström (+5 V)	20 A
Max utström (-12V)	0,3 A
Max utström (+5 VSB)	3 A
Hålltid	17,04 ms
Effektivitet	89,7%
Effekt skyddsfunktioner	Överspänning, Överbelastning, Överspänning, Överhettning, Kortslutning, Surge & inrush, Underspänning

Anslutningar	
Moderkort strömkontakt *	20+4 pin ATX
Antalet SATA strömkontakter	5
Periferiska (Molex) strömkontakter (4-pin) *	1
PCI Express strömkontakter (6 +2 pin)	2
Strömkontakt PCI Express (12 stift)	1
CPU P4-kontakt (4-stifts)	1
CPU strömkontakt (4 +4 pin)	✔
PCI expressanslutning	✔
Typ av kablage	Icke-Modulär

Prestanda	
80 plus-certifiering *	80 PLUS Bronze
Ändamål *	PC
Strömförsörjningsenhet formfaktor *	ATX
ATX-version	3.1

Prestanda	
Ljudnivå Lc IEC	30,9 dB
Kullagertyp	Rifle
Medeltid mellan fel (MTBF)	100000 h

Design	
Produktens färg	Svart
Kylning typ	Aktiv
Fläktdiameter	12 cm
Antal fläktar	1 fläkt/-ar
Fläkthastighet	0 - 2100 RPM
Belysning	✘
På / av-knapp	✔

Certifikat	
WEEE-efterlevnad (avfall som utgörs av eller innehåller elektriska eller elektroniska produkter)	✔
Certifikat för överensstämmelse	CB, CE, RoHS, TÜV mark, UKCA, WEEE

Vikt & dimension	
Bredd	150 mm
Djup	86 mm
Höjd	140 mm
Vikt	1,97 kg

Förpackning	
Förpackningens bredd	195 mm
Låddjup	268 mm
Förpackningens höjd	97 mm
Vikt inkl. förpackning	2,4 kg
Förpackningstyp	Låda

Tekniska detaljer	
Hållbarhetscertifiering	ENERGY STAR, ErP

Logistikdata	
Fraktkartongens längd	55,6 cm
Fraktkartongens bredd	31,1 cm
Fraktkartongens höjd	21,8 cm
Antal produkter per innerförpackning	6 styck
Innerförpackningens bruttovikt	15,2 kg

Prestanda	
EPS-version	2.92

Övrigt	
Skruvar medföljer	✔
Buntband inkluderat	✔

4260052191873

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 08-NOV-2026. Prints or copies of Information are only valid on the printed Publication date