TP-Link Omada EAP683 UR access-punkter för trådlösa nätverk 4804 Mbit/s Vit Strömförsörjning via Ethernet (PoE) stöd



Märke : TP-Link **Produktfamilj:** Omada **Produktkod:** EAP683 UR

Product name : EAP683 UR

TP-Link Omada EAP683 UR. 2,4 GHz, 5 GHz, Maximal dataöverföringshastighet: 4804 Mbit/s. Kryptering/säkerhet: WPA, WPA2, WPA3. Datahastighet för Ethernet-LAN: 10,100,1000,2500 Mbit/s. Strömförsörjning via Ethernet (PoE) stöd. Produktens färg: Vit



Egenskaper	
2,4 GHz *	✔
5 GHz *	✔
6 Ghz *	✘
Maximal dataöverföringshastighet *	4804 Mbit/s
Maximal dataöverföringshastighet (2,4 GHz)	1148 Mbit/s
Maximal dataöverföringshastighet (5 GHz)	4804 Mbit/s
Datahastighet för Ethernet-LAN	10,100,1000,2500 Mbit/s
Frekvensband	2.4 - 6 GHz
Kommunikationsstandarder	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3at
Antal användare	510 användare (er)
Automatisk kanalväljare	✔
Automatisk kanalavsökning	✔
MIMO	✔
MIMO-typ	Multi User MIMO
Snabb roaming	✔
VLAN-stöd	✔
Överföringsbegränsning	✔
Bandstyrd	✔
ATF (Airtime Fairness)	✔
Stöd för garanterad tjänstekvalitet (QoS)	✔
Beamforming	✔

Bevakning	
Kryptering/säkerhet *	WPA, WPA2, WPA3
MAC-adressfiltrering	✔
Funktioner för Service Set Identifier (SSID)	Multiple SSIDs

Management features	
Firmware kan uppgraderas	✔

Anslutningar	
Antal LAN (RJ-45) anslutningar *	1
Likströmsingång	✔

Strömtillförsel	
Strömförsörjning via Ethernet (PoE) stöd *	✔
DC-spänningsområde	12 V

Design	
placering *	Tak, Vägg
Produktens färg *	Vit
Återställningsknapp	✔
LED-indikatorer	✔

Antenn	
Antenntyp *	Intern
Antennens riktningstyp	Rundstrålande
Antenn ökningsnivå (max)	5 dBi

Vikt & dimension	
Bredd	220 mm
Djup	220 mm
Höjd	32,5 mm

Förpackning	
Förpackningstyp	Låda

Förpackningens innehåll	
Antal per förpackning	1 styck
Monteringssats	✔
Snabbstartsguide	✔

Bevakning	
Åtkomstkontrollista (ACL)	✔

Management features	
Syslog	✔

Miljökrav	
Intervall för relativ operativ luftfuktighet	10 - 90%
Temperatur vid drift	0 - 40 ° C
Temperaturintervall (förvaring)	-40 - 70 ° C
Fuktighet (förvaring)	5 - 90%

8885020621938

0810142821018

810142821018

8885020621945

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date