

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** Govee

**Supplier's address:** Chen Bing, 1st Floor Newmarket House, Newmarket Square, The Coombe, Dublin 8, DUBLIN, Ireland, D08VAP9

**Model identifier:** H8604

## Type of light source:

|                                                     |      |                                 |                            |
|-----------------------------------------------------|------|---------------------------------|----------------------------|
| Lighting technology used:                           | LED  | Non-directional or directional: | NDLS                       |
| Light source cap-type (or other electric interface) | -    |                                 |                            |
| Mains or non-mains:                                 | NMLS | Connected light source (CLS):   | No                         |
| Colour-tuneable light source:                       | Yes  | Envelope:                       | -                          |
| High luminance light source:                        | No   |                                 |                            |
| Anti-glare shield:                                  | No   | Dimmable:                       | Only with specific dimmers |


## Product parameters

| Parameter                                                                                                                                             | Value                | Parameter                                                                                                                                                  | Value                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| <b>General product parameters:</b>                                                                                                                    |                      |                                                                                                                                                            |                        |
| Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer                                                                         | 13                   | Energy efficiency class                                                                                                                                    | G                      |
| Useful luminous flux ( $\phi_{\text{use}}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) | 250 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 5 700                  |
| On-mode power ( $P_{\text{on}}$ ), expressed in W                                                                                                     | 13,0                 | Standby power ( $P_{\text{sb}}$ ), expressed in W and rounded to the second decimal                                                                        | -                      |
| Networked standby power ( $P_{\text{net}}$ ) for CLS, expressed in W and rounded to the second decimal                                                | -                    | Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set                                                         | 40                     |
| Outer dimensions without separate con-                                                                                                                | Height               | Spectral power distribution in the                                                                                                                         | See image in last page |
|                                                                                                                                                       | Width                |                                                                                                                                                            |                        |
|                                                                                                                                                       | Depth                |                                                                                                                                                            |                        |


|                                                                                       |      |  |                                      |                |
|---------------------------------------------------------------------------------------|------|--|--------------------------------------|----------------|
| trol gear, lighting control parts and non-lighting control parts, if any (millimetre) |      |  | range 250 nm to 800 nm, at full-load |                |
| Claim of equivalent power <sup>(a)</sup>                                              | -    |  | If yes, equivalent power (W)         | -              |
|                                                                                       |      |  | Chromaticity coordinates (x and y)   | 0,329<br>0,343 |
| <b>Parameters for LED and OLED light sources:</b>                                     |      |  |                                      |                |
| R9 colour rendering index value                                                       | -138 |  | Survival factor                      | -              |
| the lumen maintenance factor                                                          | -    |  |                                      |                |

(a) : not applicable;

(b) : not applicable;



Model placed on the Union market from 21/10/2024



**EPREL registration number:** 2069590

<https://eprel.ec.europa.eu/qr/2069590>

**Supplier:** GOVEE MOMENTS (DE) HANDEL GmbH (Authorised representative)

**Website:**

**Customer care service:**

**Name:** Chen Bing

**Website:** [1st Floor Newmarket House, Newmarket Square, The Coombe, Dublin 8, DUBLIN, Ireland, D08VAP9](#)

**Email:** [info@sunrisemoments.com](mailto:info@sunrisemoments.com)

**Phone:** +35314169660

**Address:**

1st Floor Newmarket House, Newmarket Square, The Coombe, Dublin 8, DUBLIN, Ireland, D08VAP9