

# Product datasheet

Specifications



## Wired, Sensor, NetBotz, Temperature, 13 ft

AP9335T

### Overview

**Presentation** Universal sensor that monitors temperature in your Data Center or Network Closet.

### Main

<b>Product or component type</b>	Temperature sensor
<b>Range of product</b>	Netbotz
<b>Number of rack unit</b>	0U
<b>Range compatibility</b>	Easy UPS 3M Advanced Easy UPS 3-Phase Modular
<b>Provided equipment</b>	Installation guide Temperature sensor

### Physical

<b>Colour</b>	Black
<b>Height</b>	0.5 cm
<b>Width</b>	0.5 cm
<b>Depth</b>	0.5 cm
<b>Product weight</b>	0.14 kg
<b>Mounting location</b>	Front Rear
<b>Mounting preference</b>	No preference
<b>Mounting mode</b>	Rack-mounted

### Environmental

<b>Ambient air temperature for operation</b>	0...55 °C
<b>Operating altitude</b>	0...10000 ft
<b>Relative humidity</b>	0...95 %
<b>Ambient air temperature for storage</b>	-15...65 °C
<b>Storage altitude</b>	0...15240 m
<b>Storage Relative Humidity</b>	0...95 %

### Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	1.200 cm

Package 1 Width	29.700 cm
Package 1 Length	39.700 cm
Package 1 Weight	227.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	12
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	2.984 kg
Unit Type of Package 3	P12
Number of Units in Package 3	192
Package 3 Height	45.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	59.744 kg

## Logistical informations

Country of origin	IN
-------------------	----

## Contractual warranty

Warranty (in months)	24
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	188 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	2 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	186 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0 kg CO2 eq.
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

### Use Better



### Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	<a href="#">Compliant By Exemption</a>
REACH Regulation	<a href="#">Free of Substances of Very High Concern above the threshold</a>

### Use Longer




### Lifetime extension

Repair	No
--------	----

### Use Again



### Repack and remanufacture

Recyclability potential, in %	95
End of life manual availability	<a href="#">End of Life Information</a>
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins