ZYXEL

Zyxel Nebula FWA70 trådlös router 2.5 Gigabit Ethernet 5G

Märke : Zyxel

Produktkod: FWA70-EU0102F

Product name : Nebula FWA70

Zyxel Nebula FWA70. Typ av WAN-anslutning: RJ-45. Typ av Ethernet LAN-gränssnitt: 2.5 Gigabit Ethernet, Datahastighet för Ethernet-LAN: 2500 Mbit/s, Kommunikationsstandarder: IEEE 802.3af, IEEE 802.3at. Mobilt nätverksgeneration: 5G, 4G-standarder: LTE-TDD & LTE-FDD, SIM-korttyp: Nano-SIM. Internationellt skydd (IP) kod: IP55, LED-indikatorer: Status. Certifiering: CE UKCA WEEE HSF (Hazardous Substance Free)

WAN-anslutning	
Ethernet WAN *	✔
SIM-kortplats *	✔
Typ av WAN-anslutning	RJ-45
Nätverk	
Nätverksansluten (Ethernet) *	✔
Typ av Ethernet LAN-gränssnitt *	2.5 Gigabit Ethernet
Datahastighet för Ethernet-LAN	2500 Mbit/s
Kommunikationsstandarder	IEEE 802.3af, IEEE 802.3at
Portvidarebefordran	✔
Portutlösning	✔
VPN Passthrough	✔
Mobilt nätverk	
Mobilt nätverksgeneration	5G
4G-standarder	LTE-TDD & LTE-FDD
SIM-korttyp	Nano-SIM
Anslutningar	
Antal LAN (RJ-45) anslutningar *	1
USB-port *	✔
Likströmsingång	✔
Management features	
Återställningsknapp	✔
Bevakning	
SPI (Stateful Packet Inspection)	✔
MAC-adressfiltrering	✔
Filtrering för IP-adress	✔
URL-filtrering	✔
DMZ-stöd	✔
Nätverksadressöversättning (NAT)	✔

Protokoll	
Universal Plug and Play (UPnP)	✔
Design	
Internationellt skydd (IP) kod	IP55
LED-indikatorer	Status
Certifikat	
Certifiering	CE UKCA WEEE HSF (Hazardous Substance Free)
Förpackningens innehåll	
Kabel inkluderad	LAN (RJ-45)
POE-injektor ingår	✔
Antenn	
Antenndesign *	Intern
Antenn ökningsnivå (max)	9 dBi
Antenner mängd	4
Strömtillförsel	
Strömkälla av typen *	DC, PoE
Strömförbrukning (vanlig)	15 W
Miljökrav	
Temperatur vid drift	-30 - 55 ° C
Temperaturintervall (förvaring)	-40 - 70 ° C
Intervall för relativ operativ luftfuktighet	5 - 95%
Fuktighet (förvaring)	5 - 95%
Vikt & dimension	
Bredd	68 mm
Djup	150 mm
Höjd	200 mm
Vikt	660 g

Protokoll	
DHCP-server	✔

Förpackning	
Förpackningens bredd	225 mm
Låddjup	275 mm
Förpackningens höjd	100 mm
Vikt inkl. förpackning	1,36 kg
Förpackningstyp	Låda

4718937652860

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 07-NOV-2026. Prints or copies of Information are only valid on the printed Publication date