
PHILIPS

Philips 5000 series FC9555/09 vacuum 1.5 L Cylinder vacuum Dry 900 W Bagless





Brand : Philips **Product family:** 5000 series **Product code:** FC9555/09

Product name : FC9555/09

Philips 5000 series FC9555/09. Maximum input power: 900 W. Type: Cylinder vacuum, Cleaning type: Dry, Dust container type: Bagless, Dust capacity: 1.5 L. Vacuum air filtering: HEPA, Dirt separating method: Cyclonic, Noise level: 77 dB. Product colour: Green

Power	
Input power (IEC)	899 W
Suction power	0 AW
Maximum input power *	900 W
Annual energy consumption *	0 kWh
AC input voltage	220-230 V
AC input frequency	50 Hz

Design	
Dust capacity *	1.5 L
Type *	Cylinder vacuum
Cleaning type *	Dry
Product colour *	Green
Tube type	Telescopic
Tube parts quantity	2
Tube material	Metal
Flexible hose	✔
Hose material	Plastic
Rotary wheel	✔
Wheels material	Rubber
Housing material	Plastic
Tube coupling	ActiveLock
Dust container type *	Bagless

Performance	
Vacuum air filtering *	HEPA
Dirt separating method *	Cyclonic
HEPA class	HEPA 13
Efficiency	99.9%
Motor protection filter	✔
Washable filter	✔
Proper use *	Home
Cleaning surfaces *	Carpet, Hard floor
Noise level *	77 dB
Operating radius	9 m
Warranty period	2 year(s)

Ergonomics	
Cord storage	✔
Automatic cord rewinder	✔
Dust container full indicator *	✔
Park/storage assist	✔
Storage compartment	✔
Handgrip accessory storage	✔
Carrying handle(s)	✔
Handles quantity	2
On/off switch	✔
Control type	Buttons, Rotary

Weight & dimensions	
Width	275 mm
Depth	410 mm
Height	280 mm
Weight	5.3 kg
Package width	300 mm
Package depth	370 mm
Package height	490 mm
Package weight	8.25 kg

Packaging content	
Vacuum brushes included	Universal brush
Crevice tool	✔
Special nozzle	TriActive+ nozzle
Manual	✔
User manual recycled paper	✔

Technical details	
Dangerous goods	✘

Other features	
Accessory storage	✘
Dimensions (LxWxH)	412 x 280 x 280 mm
Additional nozzle	Hard floor nozzle,Furniture nozzle 110mm, Mini-Turbo brush

Ergonomics	
Cord length	6 m

Other features	
Filter model	Relevant filter variant FC8010/02
Maximum power	900 W

Logistics data	
Country of origin	China

8710103860570

8720389036651

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 12-NOV-2026. Prints or copies of Information are only valid on the printed Publication date