Epson EB-982W



Brand : Epson

Product code: V11H987040

Product name : EB-982W



- 4,200lm and 16,000:1 contrast ratio vivid display: 3LCD technology and equally high White and Colour Light Output
- Minimal maintenance: Years of uninterrupted use before maintenance is required
- Flexible installation: Horizontal/vertical keystone correction and 1.6x optical zoom
- Enhanced connectivity: Dual HDMI ports, RJ-45 Ethernet, optional wireless connectivity
- Collaborative features: iProjection App{s1, split-screen function, moderator function

3LCD, 4200 lm, WXGA, 1280 x 800, 16:10, 16.000 : 1

Epson EB-982W:

Bright HD-Ready WXGA display
Optimise your presentation's potential with this bright WXGA projector that’s capable of producing a large and scalable screen size. Excessive downtime is a thing of the past with this reliable projector that can deliver years of use before a replacement lamp is required or the air filter needs attention. It has a range of connectivity solutions and is fuss free to set up.

Projector	
Screen size compatibility *	736.6 - 7112 mm (29 - 280")
Projection distance (wide)	0.9 - 8.5 m
Projection distance (tele)	1.4 - 13.7 m
Projector brightness *	4200 ANSI lumens
Projection technology *	3LCD
Projector native resolution *	WXGA (1280x800)
Contrast ratio (typical) *	16000:1
Native aspect ratio *	16:10
Number of colours	1.07 billion colours
Projector brightness (economic mode)	2600 ANSI lumens
Vertical scan range	100 - 120 Hz
Keystone correction, horizontal	±30°
Keystone correction, vertical	±30°
Matrix size	1.5 cm (0.59")

Light source	
Light source type *	Lamp
Service life of light source *	6500 h
Service life of light source (economic mode)	17000 h
Lamp type	UHE
Lamp power	230 W

Lens system	
Focal length range	18.2 - 29.2 mm
Aperture range (F-F)	1.51 - 1.99
Zoom capability	✔
Zoom type	Manual
Zoom ratio	1.6:1
Throw ratio	1.38 - 2.24:1

Video	
Full HD *	✘
3D *	✘
Video processing	10 bit
Colour modes (2D)	Cinema, Dynamic, sRGB, Blackboard, Presentation

Design	
Cable lock slot	✔
Cable lock slot type	Kensington

Power	
Power source *	AC
Power consumption (typical) *	327 W
Power consumption (standby) *	0.3 W
Power consumption (economy mode)	225 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz

Software	
Software support	via: AMX, Crestron (Network), Control4, Extron

Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Storage temperature (T-T)	-10 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	10 - 90%

Weight & dimensions	
Width	309 mm
Depth	282 mm
Height	90 mm
Weight *	3.1 kg
Package width	385 mm
Package depth	395 mm
Package height	175 mm
Package weight	4.68 kg

Packaging content	
Remote control included *	✔
Batteries included	✔
Cables included	AC, HDMI
Quick start guide	✔
WLAN adapter included	✔

Video	
Video colour modes	Blackboard, Cinema, Dynamic, Sports, sRGB

Ports & interfaces	
USB 2.0 ports quantity	1
USB 2.0 Type-B ports quantity	1
Serial interface type *	RS-232C
VGA (D-Sub) ports quantity *	2
HDMI ports quantity *	2
Composite video in *	1
DVI port *	✗

Network	
Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1

Features	
Noise level (economic mode)	28 dB
Noise level *	37 dB
Country of origin	Philippines
Password protection	✔

Multimedia	
Built-in speaker(s) *	✔
RMS rated power	16 W

Design	
Market positioning *	Portable
Product type *	Standard throw projector
Product colour *	White
Placement	Ceiling, Desktop

Packaging content	
Bundled software	EasyMP Multi PC Projection, Epson Projector Management

Technical details	
Other features	AV Mute Slide, Automatic keystone correction, Built-in speaker, CEC compatible, Direct Power on/off, Document Camera Compatible, Easy OSD pre-setting, Horizontal and vertical keystone correction, Network projection, OSD copy function, PC Free, Quick Corner, Split-Screen-Function, Wireless LAN capable, iProjecton set-up by scanning a code
USB display function	2 in 1: Image/ Sound
Mobile app support	✔
Power consumption	286 Watt (Normal On-Mode), 180 Watt (Eco On-Mode), 327 Watt (Normal Peak-mode), 225 Watt (Eco Peak-Mode), 0.3 Watt (Energy saving standby)

Logistics data	
Quantity per pack	1 pc(s)
Products per pallet	72 pc(s)
Pallet gross weight	0 g
Products per pallet (UK)	72 pc(s)
Pallet weight (UK)	0 g
Harmonized System (HS) code	85286200

Other features	
Option type	Air filter, Ceiling mount, Document camera, External Speaker, Safety wire set, Spare lamp, Suspension adapter, WP System - ELPWP20, Wireless LAN unit, Wireless transmitter - ELPWT01
Interface	USB 2.0-A, USB 2.0, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), VGA in (2x), VGA out, HDMI in (2x), Composite in, Jack plug out, Jack plug in (2x), Cinch audio out, Wireless LAN IEEE 802.11a/b/g/n/ac (optional)
Control panel	0.59 inch with MLA (D9)
Supported network protocols	PJLink
Box contents	HDMI Cable, Main unit, Power cable, Quick Start Guide, Remote control incl. batteries, User Manual (CD-ROM), Warranty document
Security features	Kensington lock, Control panel lock, Security cable hole, Wireless LAN unit lock, Password protection

8715946680774

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 17-NOV-2026. Prints or copies of Information are only valid on the printed Publication date