Epson Premium Matte Label - Die-cut Roll: 102mm x 76mm, 440 labels





Märke : Epson

Produktkod: C33S045532

Product name : Premium Matte Label - Die-cut Roll: 102mm x 76mm, 440 labels

Premium Matte Label - Die-cut Roll: 102mm x 76mm, 440 labels

Epson Premium Matte Label - Die-cut Roll: 102mm x 76mm, 440 labels:

Premium Matte etikett
Högklassiga matta, bestrukna etiketter för högkvalitativa standardfotoutskrifter med pigmentbläck.

Dessa släta, ljusvita matta etiketter ger tillsammans med pigmenterade DURABrite Ultra-bläck från Epson snabbtorkande utskrifter som är skrap-, vatten- och värmetåliga. Den permanenta universalhäftan av akryl ger problemfri användning och fäster bra på många olika ytor, även vid låga temperaturer.

Förslag på användningsområden

- **Streckkodsetiketter**
- **Förpackningsetiketter för konsumentprodukter**
- **Monteringskomponentetiketter**
- **Hyllkantsetiketter för butiker**
- **Apoteksetiketter**
- **Provtagningsetiketter för sjukvården**
- **Fraktetiketter**

Egenskaper	
Produktens färg *	Vit
Modell	Stansad etikett
Utskriftsteknologi	Bläckstråleskrivare
Självhäftande material	Akryl
Typ av lim	Permanent
Yta	Matt
Vattentålig	✔
Värmetåligt	✔
Kompatibla produkter	Epson TM-C3400BK Epson TM-C3400-LT Epson ColorWorks C7500G Epson ColorWorks C7500 ColorWorks CW-C6500 ColorWorks CW-C6000Pe ColorWorks CW-C6000Ae ColorWorks CW-C6000 ColorWorks C7500 ColorWorks C3500 ColorWorks C3400

Vikt & dimension	
Etikettbredd	10,2 cm
Etiketthöjd	7,6 cm
Etikettstorlek	102 mm x 76 mm

Förpackning	
Förpackningens höjd	113 mm
Vikt inkl. förpackning	609 g

Förpackningens innehåll	
Etiketter per förpackning *	440 styck
Etiketter per rulle	440 styck

Logistikdata	
Produkter per lastpall	648 styck
Lastpallens totallängd	120 cm
Lastpallens totalbredd	80 cm
Lastpallens totalhöjd	102 cm
Minsta orderkvantitet	18 styck
Produkter per lastpallslager	216 styck
Produkter per lastpallslager (UK)	288 styck
Produkter per lastpall (UK)	864 styck
Lastpallslängd (UK)	120 cm
Lastpallsbredd (UK)	100 cm
Lastpallshöjd (UK)	102 cm
Harmonized System (HS)-kod	84439990

Vikt & dimension	
Kärndiameter	3,8 cm

Förpackning	
Antal per förpackning	1 styck
Förpackningens bredd	113 mm
Låddjup	108 mm

Övrigt	
Ursprungsland	Polen
Antal per låda	18 styck

8715946537191

6415787143224

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 14-NOV-2026. Prints or copies of Information are only valid on the printed Publication date