Brother ADS-4300N scanner ADF scanner 600 x 600 DPI A4 Black, White



Brand : Brother

Product code: ADS-4300N

Product name : ADS-4300N

- Scan up to 40 pages per minute
- 80 sheet Automatic Document Feeder (ADF)
- Wired connectivity
- SuperSpeed USB3.
- Scan directly to USB host

With high-speed wired connectivity. Great choice for scanning documents to the network and collaborating with colleagues. Ideal for shared use in the office.



Brother ADS-4300N scanner ADF scanner 600 x 600 DPI A4 Black, White:

Designed for businesses needing a high-speed, efficient network scanner. Connect your ADS-4300N to your network and effortlessly capture your documents to share and collaborate with colleagues.3 configurable hot keysAdvanced image processing and batch scanningFeatures Ultrasonic Multifeed Sensor, Separation SwitchBrother Mobile Connect appSupports AirPrint ScanIncludes Brother ScanEssentials softwareDriver compatibility with TWAIN (Win and macOS), WIA, Linux SANE

Scanning	
Optical scanning resolution *	600 x 600 DPI
Enhanced scan resolution	1200 x 1200 DPI
Colour scanning	✔
Duplex scanning *	✔
Input colour depth	48 bit
Output colour depth	24 bit
Output greyscale depth	8 bit
Greyscale levels	256
ADF scan speed (b/w, A4)	40 ppm
ADF scan speed (colour, A4)	40 ppm
Duplex ADF scan speed (b/w, A4)	80 ipm
Duplex ADF scan speed (colour, A4)	80 ipm

Design	
Scanner type *	ADF scanner
Product colour *	Black, White
Control type	Buttons
Built-in display *	✘

Performance	
Sensor type *	Dual CIS
Light source	LED
Scan file formats	JPEG, PDF, TIFF
Daily duty cycle (max) *	6000 pages
Maximum duty cycle	120000 pages per month
Scan to	FTP, Image, PC, SMB, USB
Scan drivers	ICA, SANE, TWAIN, WIA
Scanning noise level	59 dB

Input capacity	
Auto document feeder (ADF) input capacity	80 sheets

Power	
Power consumption (typical)	24 W
Power consumption (standby)	6.8 W
Power consumption (off)	0.1 W
AC input frequency	50 - 60 Hz
Power consumption (sleep)	1.7 W
Output voltage	24 V
Output current	1.9 A

Weight & dimensions	
Width	243 mm
Depth	320 mm
Height	391 mm
Weight	3.09 kg

Packaging data	
Quantity per pack	1 pc(s)
Package width	391 mm
Package depth	320 mm
Package height	243 mm
Package weight	3.74 kg

Packaging content	
Cables included	AC, USB

Sustainability	
Sustainability compliance	✔

System requirements	
Windows operating systems supported	✔
Mac operating systems supported	✔
Linux operating systems supported	✔
Server operating systems supported	Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019

Paper handling	
Scanning media types supported	Business Card, Plain paper, Plastic Card, Recycled paper, Thick paper, Thin paper
Maximum ISO A-series paper size *	A4
Card thickness (max)	1.1 mm
Paper tray media weight	40 - 200 g/m²
Auto Document Feeder (ADF) media weight	40 - 200 g/m²
Maximum scan width	21.6 cm
Maximum scan length	5 m

Ports & interfaces	
USB port *	✔
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)

Network	
Ethernet LAN	✔
Security algorithms	EAP-FAST, EAP-MD5, EAP-TLS, EAP-TTLS, HTTPS, PEAP, SMTP-AUTH, SNMPv3, SSL/TLS
Supported network protocols (IPv6)	RA, DNS Resolver, mDNS, LLMNR responder, Web Services(Scan), SNTP Client, HTTP/HTTPS server, ICMPv6
Supported network protocols (IPv4)	DHCP, APIPA (Auto IP), WINS/NetBIOS, DNS Resolver, mDNS, SNMPv1/v2c/v3, ICMP, Web Services(Scan), HTTP/HTTPS server, LLMNR responder, SNTP Client, LDAP
IPv6 support	✔
Supported network protocols	DHCP, APIPA (Auto IP), WINS/NetBIOS, DNS Resolver, mDNS, SNMPv1/v2c/v3, ICMP, Web Services(Scan), HTTP/HTTPS server, LLMNR responder, SNTP Client, LDAP, RA, DNS Resolver, mDNS, LLMNR responder, Web Services(Scan), SNTP Client, HTTP/HTTPS server, ICMPv6

Power	
Power supply type *	AC

Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	10 - 90%

Other features	
Compliance certificates	RoHS
Spare part retention	5 year(s)
Certification	GS Mark ISIS WHQL KofaxTM 5,10 VRS Elite 5.2.0 Kofax Express 3.3.0

Technical details	
Pallet type	800 x 1200 mm

Logistics data	
Products per pallet	40 pc(s)
Country of origin	China
Master (outer) cases per pallet	40 pc(s)
Layers per pallet	5 pc(s)
Pallet gross weight	166.4 kg
Pallet gross height	17.8 cm
Master (outer) cases per pallet layer	8 pc(s)
Harmonized System (HS) code	84716070



0012502666349



012502666349



4977766814638



4977766814621



4977766814652

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 20-NOV-2026. Prints or copies of Information are only valid on the printed Publication date