TP-Link Omada EAP683 UR WLAN-tukiasema 4804 Mbit/s Valkoinen Power over Ethernet -tuki



Tuotemerkki : TP-Link **Tuoteperhe:** Omada **Tuotekoodi:** EAP683 UR

Tuotteen nimi : EAP683 UR

TP-Link Omada EAP683 UR. 2,4 GHz, 5 GHz, Tiedonsiirron enimmäisnopeus: 4804 Mbit/s. Tietoturva-algoritmit: WPA, WPA2, WPA3. Ethernet LAN -datanopeudet: 10,100,1000,2500 Mbit/s. Power over Ethernet -tuki. Tuotteen väri: Valkoinen



Ominaisuudet	
2,4 GHz *	✔
5 GHz *	✔
6 GHz *	✘
Tiedonsiirron enimmäisnopeus *	4804 Mbit/s
Datan enimmäissiirtonopeus (2,4 GHz)	1148 Mbit/s
Datan enimmäissiirtonopeus (5 GHz)	4804 Mbit/s
Ethernet LAN -datanopeudet	10,100,1000,2500 Mbit/s
Taajuuskaista	2.4 - 6 GHz
Verkkostandardit	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3at
Käyttäjien määrä	510 käyttäjä (t)
Automaattinen kanavanvalinta	✔
Automaattinen kanavaskannaus	✔
MIMO	✔
MIMO-tyyppi	Multi User MIMO
Nopea roaming	✔
VLAN-tuki	✔
Nopeuden rajoitus	✔
Band Steering	✔
Airtime Fairness (ATF)	✔
Quality of Service -tuki	✔
BeamForming-teknologia	✔

Suojaus	
Tietoturva-algoritmit *	WPA, WPA2, WPA3
MAC-osoitteensuodatus	✔
Langattoman verkon tunnuksen (SSID) ominaisuudet	Multiple SSIDs
Pääsynhallintalista	✔

Liitettävyys	
Ethernet LAN (RJ-45) -portit *	1
DC-tulojakki	✔

Virranhallinta	
Power over Ethernet -tuki *	✔
DC-jännitealue	12 V

Suunnittelu	
Sijoitus *	Katto, Seinä
Tuotteen väri *	Valkoinen
Uudelleenkäynnistyspainike	✔
LED-merkkivalot	✔

Antenni	
Antennityyppi *	Sisäinen
Antennin suuntaustyyppi	Ympärisäteilevä
Antennin vahvistustaso (maks.)	5 dBi

Paino ja mitat	
Tuotteen leveys	220 mm
Tuotteen syvyys	220 mm
Tuotteen korkeus	32,5 mm

Pakkaustiedot	
Pakkaustyyppi	Laatikko

Pakkauksen sisältö	
Lukumäärä per pakkaus	1 kpl
Asennussarja	✔
Pika-aloitusopas	✔

Ympäristöolosuhteet	
Käytön suhteellinen kosteus (H-H)	10 - 90%
Käyttölämpötila (T-T)	0 - 40 °C
Varastointilämpötila	-40 - 70 °C

Hallintaominaisuudet	
Syslog	✔
Päivitettävä Firmware	✔

Ympäristöolosuhteet	
Säilytysympäristön kosteus	5 - 90%

8885020621938

0810142821018

810142821018

8885020621945

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date