

# PRODUCT DATASHEET

## SMART+ ZB CANDLE 40 6 W E14

SMART+ Candle Tunable White | Classic candle shape with ZigBee technology



---

### AREAS OF APPLICATION

- General illumination
- Outdoor applications only in suitable luminaires

---

### PRODUCT BENEFITS

- Easy to install and use
- Up to 80 % less energy consumption compared to halogen lamps
- Contains no mercury

---

### PRODUCT FEATURES

- LED Classic B lamp with wireless smart lighting function
- Adjustable light color via Tunable White: Warm White to Cool White (2,700 K...6,500 K)
- Dimmable
- Network protocol: ZigBee
- Lifetime: up to 15,000 h
- Controllable via compatible smart home system (gateway and app) or SMART+ Switch
- For full functionality connection to a compatible smart home System (gateway and app) required



## TECHNICAL DATA

### Electrical data

Operating frequency	50...60 Hz
Rated wattage	6.00 W
Power factor $\lambda$	> 0.50
Nominal wattage	6.00 W
Nominal voltage	220...240 V
Claimed equiv. conventional lamp power	40 W


### Photometrical data

Light color (designation)	Tunable White
Lumen main.fact.at end of nom.life time	0.70
Standard deviation of color matching	$\leq 6$ sdc <sub>m</sub>
Adjustable color temperature	2700...6500 K
Rated luminous flux	470 lm
Nominal luminous flux	470 lm
Color rendering index Ra	>80

### Light technical data

Starting time	< 0.5 s
Light control	Adjustable color temperature
Warm-up time (60 %)	< 0.50 s

### Dimensions & weight



Product weight	70.00 g
Outer bulb	B40
Length	114.0 mm
Diameter	38.0 mm
Overall length	114.0 mm

## Lifespan

Number of switching cycles	100000
Rated lamp life time	20000 h
Nominal lamp life time	20000 h
Lumen maintenance at end of service life	0.70

## Additional product data

Mercury-free	Yes
Show WEEE picto	Yes
Product remark	All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value/Reset settings to default by switching the product on for five seconds and off for five seconds and repeating this five times.
Base (standard designation)	E14

## Capabilities

Dimmable	Yes
Compatible smart home technology	ZigBee

## Certificates &amp; standards

Energy efficiency class	A+
Energy consumption	6 kWh/1000h

## EQUIPMENT / ACCESSORIES

– Control via app requires LIGHTIFY system (app and gateway) or other compatible Smart home system

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075208414	Folding carton box 1	61 mm x 96 mm x 154 mm	141.00 g	0.90 dm <sup>3</sup>
4058075211605	Shipping carton box 4	211 mm x 167 mm x 141 mm	685.00 g	4.97 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.