



Acer PL Serie

PL2520pi (Vero)

Business projector meets laser light source: a perfect combination



- Resolution: 1080p Full HD (1,920 x 1,080 px)
- Brightness: 4,000 (standard), 3,200 (eco) ANSI lumens
- Life (hr.): 20,000 (standard), 30,000 (eco) hours





Acer PL2520pi (Vero)

SPECIFICATIONS



Ordering Information

Model	PL2520pi (Vero)
Article number	MR.POD11.001
EAN	4711474728562

Technical Specifications

Projection technology	DLP 3D Ready & HDMI 3D
DLP Chip	0.65" BrilliantColor™
Version	DarkChip™ 3 DMD
Resolution	1080p Full HD (1,920 x 1,080 px)
Display Format	16:9 (native) / 4:3 (supported)
Contrast	-
Displayable Colours	1.07 Billion Colors
Brightness	4,000 (standard), 3,200 (eco) ANSI lumens
Focus / Focal distance	F = 2.43 ~ 2.78 / f = 16.90 mm ~ 21.61 mm
Projection size (diagonal)	0.79 ~ 7.62 m
Projection distance	1.00 ~ 7.50 m
Throw ratio	1.12 ~ 1.47: 1
Image Offset	132 % %
Horizontal / Vertical frequency	15 ~ 135 kHz / 24 ~ 120 Hz
Projection Modes	Front- / Rear- & Front-Ceiling- / Rear-Ceiling-Projection
Light technology	-
Life (hr.)	20,000 (standard), 30,000 (eco) hours
Keystone Correction	+/- 30° (vertical) manual & automatic, +/- 30° (horizontal) manual, 4-Corner Adjustment
Speaker	1x 15 watts (speaker)
Weight / incl. packaging (kg)	2,9 Kg
Dimensions / Shipping dimensions (mm)	286 x 216 x 115,5 mm
Power Consumption	-
Noise level	34 (standard), 29 (eco) dBA
Uniformity (%)	-
Color	white

Input Ports

HDMI with HDCP	2x
----------------	----

Output Ports

Audio out (3.5 mm)	1x
USB Type A	USB Typ A 2x (1x In for wireless adapter, 1x DC out 5V)

Network and Control Ports

RS232	1x
-------	----

Included Accessory

Quick Start Guide	1x
Carrying case	1x
Lens cap	1x
HDMI cable	1x (1.80 m)

Optional Accessory

Universal ceiling mount long	4713147892884 / MC.JLC11.003
Universal ceiling mount short	4713147892877 / MC.JLC11.002

Usage recommendation

Usage recommendation	Office, home office, conference room
----------------------	--------------------------------------

Projection Distance Calculator

Projection Distance Calculator	https://www.acer.com/ac/de/CH/content/acer-projection-calculator
--------------------------------	---



Acer PL2520pi (Vero)

APPROPRIATE ACCESSORIE (NOT INCLUDES IN DELIVERY)

Universal Ceiling Mount short



Easily mount your projector to the ceiling with 360° rotation and up to 25° tilt.

Universal Ceiling Mount long



Easily mount your projector to the ceiling with 360° rotation and up to 25° tilt.