Epson WorkForce DS-870 Sheet-fed scanner 600 x 600 DPI A4 Grey, White



Brand : Epson **Product family:** WorkForce **Product code:** B11B250401

Product name : DS-870

Epson WorkForce DS-870. Optical scanning resolution: 600 x 600 DPI, Input colour depth: 30 bit, Output colour depth: 24 bit. Scanner type: Sheet-fed scanner, Product colour: Grey, White, Display: LCD. Sensor type: CIS, Daily duty cycle (max): 7000 pages, Scan file formats: JPEG, PDF, TIFF. Auto document feeder (ADF) input capacity: 100 sheets. Maximum ISO A-series paper size: A4, Scanning media types supported: Business Card, Plastic Card, Post Card(JPN), ISO A-series sizes (A0...A9): A3, A4, A5, A6



Scanning	
Optical scanning resolution *	600 x 600 DPI
Colour scanning	✔
Duplex scanning *	✔
Input colour depth	30 bit
Output colour depth	24 bit
Input greyscale depth	10 bit
Output greyscale depth	8 bit
ADF scan speed (b/w, A4)	65 ppm
ADF scan speed (colour, A4)	65 ppm

Design	
Scanner type *	Sheet-fed scanner
Product colour *	Grey, White
Display	LCD
Display diagonal	3.81 cm (1.5")
Colour display	✔
Built-in display *	✔

Performance	
Sensor type *	CIS
Scan file formats	JPEG, PDF, TIFF
Daily duty cycle (max) *	7000 pages
Scan to	E-mail, FTP, Software, Print, Network folder
Scan drivers	TWAIN, ISIS, SANE, WIA
Password protection	✔
Ultrasonic sensor	✔

Input capacity	
Auto document feeder (ADF) input capacity	100 sheets

Power	
Power supply type *	AC
Power consumption (typical)	30 W
Power consumption (off)	0.1 W
AC input frequency	50 - 60 Hz
Sleep mode	✔
Input voltage	100 - 240 V

Weight & dimensions	
Width	296 mm
Depth	169 mm
Height	167 mm
Weight	3.6 kg

Packaging data	
Quantity per pack	1 pc(s)
Package width	270 mm
Package depth	370 mm
Package height	320 mm
Package weight	4.95 kg

Packaging content	
Cables included	AC
AC adapter included	✔
Drivers included	✔
Bundled software	Document Capture Pro 2.0, Epson Device Admin (EDA), Epson Scan 2

System requirements	
Compatible operating systems	Mac OS 10.6+, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008 (32/64 Bit), Windows Server 2012 R2, Windows Vista, Windows XP SP3

Paper handling	
Scanning media types supported	Business Card, Plastic Card, Post Card(JPN)
Maximum ISO A-series paper size *	A4
ISO A-series sizes (A0...A9)	A3, A4, A5, A6
ISO B-series sizes (B0...B9)	B4, B5, B6
Letter	✔
Legal	✔
Auto Document Feeder (ADF) media weight	27 - 413 g/m²
Maximum scan area (ADF)	215.9 x 6096 mm
Minimum scan area (ADF)	50.8 x 50.8 mm

Ports & interfaces	
USB port *	✔
USB version	3.2 Gen 1 (3.1 Gen 1)
Optional connectivity	Ethernet
Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1)

Network	
Supported network protocols (IPv6)	Yes
Supported network protocols (IPv4)	TCP/IP, DHCP, DNS, SNMP, SLP
IPv6 support	✔
Supported network protocols	TCP/IP, DHCP, DNS, SNMP, SLP

System requirements	
Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP
Server operating systems supported	Windows Server 2003, Windows Server 2008, Windows Server 2008 x64, Windows Server 2012 R2

Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Storage temperature (T-T)	25 - 60 °C
Operating relative humidity (H-H)	15 - 80%
Storage relative humidity (H-H)	15 - 85%

Other features	
Control panel	5-line LCD with Push Scan features
Output resolutions	1200 dpi
Image formats supported	BMP, JPEG, TIFF, PNG

Technical details	
Scan technology	ReadyScan LED

Logistics data	
Products per pallet	48 pc(s)
Country of origin	Indonesia
Pallet gross weight	0 g
Products per pallet layer	8 pc(s)
Products per pallet layer (UK)	10 pc(s)
Products per pallet (UK)	60 pc(s)
Pallet weight (UK)	0 g
Harmonized System (HS) code	84716070

8715946660813

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 14-NOV-2026. Prints or copies of Information are only valid on the printed Publication date