TP-Link AC1750 Wi-Fi Nätverksrepeater Vit 10, 100, 1000 Mbit/s




Märke : TP-Link

Produktkod: RE450

Product name : AC1750 Wi-Fi

TP-Link AC1750 Wi-Fi. Modell: Nätverksrepeater, Faktisk dataöverföringshastighet: 1750 Mbit/s, Datahastighet för Ethernet-LAN: 10,100,1000 Mbit/s. Antenntyp: Extern. Typ av Ethernet LAN-gränssnitt: Gigabit Ethernet, Kabelteknik: 10/100/1000Base-T(X), Kommunikationsstandarder: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3, IEEE 802.3ab,.... Produktens färg: Vit, Ursprungsland: Kina, Certifiering: CE, FCC. AC-inspänning: 100 - 240 V, Växelström Frekvens: 50/60 hz, Strömförbrukning (max): 10 W



Prestanda	
Modell *	Nätverksrepeater
Faktisk dataöverföringshastighet	1750 Mbit/s
Datahastighet för Ethernet-LAN	10,100,1000 Mbit/s
Beamforming	✔
WPS tryckknapp	✔
Windows-operativsystem som stöds	✔
Mac-operativsystem som stöds	✔
Linux operativsystem som stöds	✔

Antenn	
Antenner mängd	3
Antenntyp	Extern

Nätverk	
Typ av Ethernet LAN-gränssnitt	Gigabit Ethernet
Kabelteknik	10/100/1000Base-T(X)
Kommunikationsstandarder	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u
Wi-Fi	✔
Wi-Fi-standarder	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Maximal överföringshastighet för trådlöst LAN	1750 Mbit/s
Wi-Fi-band	Dual-band (2,4 GHz / 5 GHz)
Kryptering/säkerhet	64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK, WPS
Webbaserad adminstraion	✔

Anslutningar	
Antal LAN (RJ-45) anslutningar	1

Design	
Ursprungsland	Kina
På / av-knapp	✔
Återställningsknapp	✔
Certifiering	CE, FCC

Strömtillförsel	
AC-inspänning	100 - 240 V
Växelström Frekvens	50/60 hz
Strömförbrukning (max)	10 W

Miljökrav	
Temperatur vid drift	0 - 30 ° C
Temperaturintervall (förvaring)	-40 - 70 ° C
Intervall för relativ operativ luftfuktighet	10 - 90%
Fuktighet (förvaring)	5 - 90%

Vikt & dimension	
Bredd	86,4 mm
Djup	66,3 mm
Höjd	163 mm
Vikt	230 g

Förpackningens innehåll	
Kabel inkluderad	LAN (RJ-45)
Snabbstartsguide	✔

Förpackning	
Förpackningens bredd	86 mm
Låddjup	202 mm
Förpackningens höjd	125 mm
Vikt inkl. förpackning	350 g

Design	
Produktens färg *	Vit
LED-indikatorer	✔

Certifikat	
Certifikat för överensstämmelse	RoHS
Logistikdata	
Tullens varukod, tulltaxa (TARIC)	8517620000

6935364092399

1210002613989

1210002613972

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 03-NOV-2026. Prints or copies of Information are only valid on the printed Publication date