PHILIPS

Philips Shaver 3000X Series X3002/00 Elektrisk rakapparat för våt- och torrakning





Märke : Philips

Produktkod: X3002/00

Product name : Shaver 3000X Series X3002/00 Elektrisk rakapparat för våt- och torrakning

- Öppna med en tryckning
- Ergonomiskt grepp
- 40 minuters sladdlös rakning (1 h)
- Uppfällbar trimsax
- Lämplig för att raka huvudet
- Vattentät (IPX7)
- Batteriindikator
- PowerCut-blad
- Rostfritt rakningssystem
- Våt- och torrakning
- Rakhuvuden som kan böjas i fyra riktningar
- Tillverkad med omsorg för planeten

Philips Shaver 3000X Series Elektrisk rakapparat för våt- och torrakning

Philips Shaver 3000X Series X3002/00 Elektrisk rakapparat för våt- och torrakning:

Behaglig och nära rakning
Med SkinProtect-teknik
Philips rakapparat för våt- och torrakning i 3000X-serien ger dig en behaglig och nära rakning, och den är dessutom prisvärd. 27 självslipande PowerCut-blad, våt och torr användning samt en uppfällbar trimsax gör rakapparaten enkel att använda och är alltid tillförlitlig.

Egenskaper	
Raksystem *	Roterande rakhuvud
Raksystemstekniker	PowerCut blade system
Trimmer *	✔
Produktens färg *	Svart, Grön
Självrengörande	✘
Pop-up trimmer	✔
Gummihandtag	✔
Tvättbar *	✔
Våt och torr	✔
Konturföljande	✔
Antal rakhuvuden/blad *	3
Reservhuvud	For best results, replace shaving heads every 24 months. Use SH30 replacement heads, sold separately.
Tid mellan byten av rakhuvuden	2 År

Indikation	
Indikator för fullt batteri	✘
Indikator för låg batterinivå	✘
Laddningsindikator	✔

Strömtillförsel	
Strömkälla *	Batteri
Uppladdningsbara	✔
Batterityp	Inbyggt batteri
Drifttid	40 min
Laddningstid	1 h
Snabb laddning	✔

Strömtillförsel	
Snabb laddningstid	5 min
Raktid	40 min
Sladdlös	✔

Vikt & dimension	
Bredd	100 mm
Djup	80 mm
Höjd	190 mm
Vikt	337 g

Förpackning	
Vikt inkl. förpackning	439 g
Förpackningstyp	Låda

Förpackningens innehåll	
Antal per förpackning	1 styck
Basenhet inkluderat	✘
Fodral	✘
Skyddshylsa	✔
skyddskåpor	✔

Övrigt	
Hantera funktioner	Ergonomisk
Ursprungsland	Indonesien
Garantiperiod	2 År

Batteri	
Batteriteknik	Nickel-metallhydrid (NiMH)

Logistikdata	
Harmonized System (HS)-kod	85101000

Tekniska detaljer	
Ergonomiskt grepp	✔

8720689025041

8720689019040

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 24-NOV-2026. Prints or copies of Information are only valid on the printed Publication date